



US00D733697S

(12) **United States Design Patent**  
**Palan et al.**

(10) **Patent No.:** **US D733,697 S**  
(45) **Date of Patent:** **\*\* Jul. 7, 2015**

(54) **DOCKING STATION FOR USE WITH A PORTABLE SMART DEVICE**

D627,624 S \* 11/2010 Brassard ..... D8/363  
D654,054 S \* 2/2012 Kohte et al. .... D14/217  
D681,029 S \* 4/2013 Richter ..... D14/253

(71) Applicant: **Mighty Carma, Inc.**, Santa Clara, CA (US)

**OTHER PUBLICATIONS**

(72) Inventors: **Saurabh Palan**, Santa Clara, CA (US);  
**Ameya Kamerkar**, Fremont, CA (US)

Mrovlje, Jerney; Vrancic, Damir "Distance measuring based on stereoscopic pictures," 9th International PhD Workshop on Systems and Control: Young Generation Viewpoint; Oct. 3, 2008, 6 pages.  
U.S. Appl. No. 13/802,388, by Palan et al., filed Mar. 13, 2013.  
U.S. Appl. No. 13/802,455, by Palan et al., filed Mar. 13, 2013.  
U.S. Appl. No. 14/216,896, by Palan et al., filed Mar. 17, 2014.

(73) Assignee: **Mighty Carma, Inc.**, Santa Clara, CA (US)

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/465,202**

*Primary Examiner* — Stella Reid

(22) Filed: **Aug. 26, 2013**

*Assistant Examiner* — Khawaja Anwar

(51) **LOC (10) Cl.** ..... **14-03**

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(52) **U.S. Cl.**  
USPC ..... **D14/253**

(57) **CLAIM**

(58) **Field of Classification Search**  
USPC ..... D14/137, 140, 140.8, 142, 204, 209.1,  
D14/217, 221, 243–256, 434, 440, 444–447,  
D14/238.1; D8/363; D3/215, 218, 269;  
D6/300, 310, 467, 553–574; 292/342,  
292/343; D12/411, 415, 223; D13/108;  
455/575.1, 575.8; 206/305, 320;  
320/108, 115; 220/4.02; 379/426, 446,  
379/455, 433.1

The ornamental design for a docking station for use with a portable smart device, as shown and described.

See application file for complete search history.

**DESCRIPTION**

(56) **References Cited**


FIG. 1 is a front perspective view of a docking station for use with a portable smart device showing our new design;  
FIG. 2 is a left side view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof;  
FIG. 8 is another front perspective view thereof, with portable remote integrated and shown in broken lines within the docking station;  
FIG. 9 is a left side view thereof;  
FIG. 10 is a right side view thereof;  
FIG. 11 is a front view thereof; and,  
FIG. 12 is a top view thereof.


**U.S. PATENT DOCUMENTS**

D522,843 S \* 6/2006 Richter ..... D8/363  
D545,825 S \* 7/2007 Richter ..... D14/447  
D592,188 S \* 5/2009 Huang ..... D14/217  
D602,913 S \* 10/2009 Han et al. .... D14/217  
D612,712 S \* 3/2010 Rix ..... D8/363  
D614,613 S \* 4/2010 Kim et al. .... D14/253  
D619,586 S \* 7/2010 Richter ..... D14/447  
D619,587 S \* 7/2010 Richter ..... D14/447  
D626,541 S \* 11/2010 Kim et al. .... D14/253


The broken lines in the drawings show unclaimed subject matter and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**







**FIG. 1**




**FIG. 2**



**FIG. 3**




**FIG. 4**




**FIG. 5**






**FIG. 6**




**FIG. 7**







**FIG. 8**




*FIG. 9*



**FIG. 10**



**FIG. 11**



**FIG. 12**