



US00D733783S

(12) **United States Design Patent**
Wu

(10) **Patent No.:** **US D733,783 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

(54) **INFRARED CAMERA**

(71) Applicant: **Jiping Wu**, Guangdong (CN)

(72) Inventor: **Jiping Wu**, Guangdong (CN)

(73) Assignee: **Guangzhou SAT Infrared Technology Co., Ltd.**, Guangdong (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/487,637**

(22) Filed: **Apr. 10, 2014**

(30) **Foreign Application Priority Data**

Jan. 27, 2014 (CN) 2014 3 0024578

(51) **LOC (10) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/206**

(58) **Field of Classification Search**

USPC D16/200, 202–206, 208, 218, 219, 242;
348/164, 347, 373–376; 396/535,
396/539–541

CPC G03B 15/03; G03B 17/02; G03B 17/04;
G03B 17/56; G03B 19/04; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N 5/2254;
H04N 2101/00; H04N 5/33; H04N 5/332

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D466,540	S	*	12/2002	Lannestdt et al.		D16/218
D585,927	S	*	2/2009	Sheard et al.		D16/206
D599,392	S	*	9/2009	Hamrelius		D16/206
D658,222	S	*	4/2012	Elrod et al.		D16/206
D665,440	S	*	8/2012	Sigward		D16/206
D677,298	S	*	3/2013	Hallgren		D16/206
D710,424	S	*	8/2014	Hallgren		D16/206
D723,605	S	*	3/2015	Palm		D16/206

(Continued)

Primary Examiner — Adir Aronovich

Assistant Examiner — Ramzi Almatrahi

(74) *Attorney, Agent, or Firm* — Stoel Rives LLP

(57) **CLAIM**

The ornamental design for an infrared camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of an infrared camera embodying my new design with a display in a closed configuration; FIG. 2 is a rear elevation view thereof with the display in a closed configuration;

FIG. 3 is a top plan view thereof with the display in a closed configuration;

FIG. 4 is a bottom plan view thereof with the display in a closed configuration;

FIG. 5 is a left elevation view thereof with the display in a closed configuration;

FIG. 6 is a right elevation view thereof with the display in a closed configuration;

FIG. 7 is a rear-left perspective view thereof with the display in a closed configuration;

FIG. 8 is a front-left perspective view thereof with the display in a closed configuration;

FIG. 9 is a rear elevation view thereof with the display in an open configuration;

FIG. 10 is a right elevation view thereof with the display in an open configuration;

FIG. 11 is a front elevation view thereof with the display in an open configuration;


FIG. 12 is a left elevation view thereof with the display in an open configuration;

FIG. 13 is a front-left perspective view thereof with the display in an open configuration; and,

FIG. 14 is a rear-left perspective view thereof with the display in an open configuration.

The broken lines depict portions of an infrared camera in which the design is embodied and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)	References Cited	2013/0188058 A1 *	7/2013	Nguyen et al.	348/164
		2014/0002668 A1 *	1/2014	Nguyen et al.	348/164
	U.S. PATENT DOCUMENTS	2014/0028854 A1 *	1/2014	Heinke et al.	348/164
	9,001,259 B2 *	4/2015	Loukusa et al.		348/347
	2012/0314084 A1 *	12/2012	Lammert et al.		348/164
				* cited by examiner	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14