



US00D734648S

(12) **United States Design Patent**  
**Miller**

(10) **Patent No.:** **US D734,648 S**  
(45) **Date of Patent:** **\*\* Jul. 21, 2015**

(54) **ADJUSTABLE GRIP FOR A WEB CABLE TIE DOWN**

(71) Applicant: **Robert W. Miller**, Huntington Beach, CA (US)

(72) Inventor: **Robert W. Miller**, Huntington Beach, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/466,358**

(22) Filed: **Sep. 6, 2013**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/44**

(58) **Field of Classification Search**

USPC ..... D6/515; D12/96, 106, 400, 223, 217  
CPC ..... B66D 3/006; B66D 3/18; B66D 3/26;  
B66D 3/02; B66D 3/14; B63B 21/18; B63B  
21/26; B65B 57/005; A61G 7/1051; A61G  
7/1061; B65H 16/02; B65H 2301/4131;  
B65H 75/4471; B66B 11/08

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,551,190 A \* 5/1951 Walker ..... 242/594.5  
D197,882 S \* 4/1964 Steinwedel ..... D8/14  
D198,282 S \* 5/1964 Zaleski ..... D8/14  
D227,650 S \* 7/1973 Sneddon ..... D8/14  
D272,980 S \* 3/1984 Kapphahn ..... D8/14  
D293,204 S \* 12/1987 Trubiano ..... D8/380

D311,312 S \* 10/1990 Morton ..... D8/14  
D324,645 S \* 3/1992 Magro et al. .... D8/380  
D342,427 S \* 12/1993 Stovall ..... D8/14  
D392,553 S \* 3/1998 Dill ..... D8/380  
D394,999 S \* 6/1998 Phillip ..... D8/380  
D416,772 S \* 11/1999 Milbury ..... D8/14  
D493,078 S \* 7/2004 McGee et al. .... D8/14  
D494,028 S \* 8/2004 Stout ..... D8/14  
D567,042 S \* 4/2008 Wilkes ..... D8/44  
D670,156 S \* 11/2012 Crooks et al. .... D8/358

\* cited by examiner

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Eliza Bennett-Hattan

(57) **CLAIM**

The ornamental design for an adjustable grip for a web cable tie down, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the adjustable grip for a web cable tie down with the rectangular peg removed for clarity of disclosure.

FIG. 2 is cross-section perspective view of the handle portion of the adjustable grip for a web cable tie down;

FIG. 3 is another perspective view of the adjustable grip for a web cable tie down with the rectangular peg removed for clarity of disclosure; and,

FIG. 4 is a perspective view of the adjustable grip for a web cable tie down in a position of use.

The broken lines in the drawing depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**





