



US00D734682S

(12) **United States Design Patent**
Phillips et al.

(10) **Patent No.:** **US D734,682 S**
(45) **Date of Patent:** **** Jul. 21, 2015**

(54) **SENSOR MODULE**

- (71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)
- (72) Inventors: **Sheldon George Phillips**, Glendale, CA
(US); **Frank Nuovo**, Los Angeles, CA
(US); **Tom Torfs**, Kraainem (BE)
- (73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/491,664**

(22) Filed: **May 22, 2014**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/103**; D11/3

(58) **Field of Classification Search**

USPC D10/30–39, 65, 70, 78, 97, 98, 103;
D11/3; D13/173–177; D14/138 R,
D14/203.5, 247, 338–340, 344, 346, 347;
D24/167, 168

CPC G08G 1/096883; G08G 1/096872;
G08G 1/096775; G01C 21/16; G01C 21/3688;
G01C 21/30; G01V 8/20; G01J 5/02; G01J
5/023; G01J 5/24; G01J 5/10; G01J 5/20;
G01J 5/0235; G01J 5/08; G01J 5/0853;
G01J 5/33; G01J 5/34

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D299,718	S	*	2/1989	Steer et al.	D14/247
D305,422	S	*	1/1990	Steer et al.	D14/247
D331,020	S	*	11/1992	Ishii et al.	D10/31
5,795,300	A		8/1998	Bryars		
D455,093	S	*	4/2002	Fitzgerald	D10/98
D528,439	S	*	9/2006	Burton	D10/32
D528,928	S	*	9/2006	Burton	D10/38
D536,265	S	*	2/2007	Reynoso	D10/31

(Continued)

FOREIGN PATENT DOCUMENTS

WO	2013022911	A1	2/2013
WO	2013148753	A1	10/2013
WO	2014039567	A1	3/2014

OTHER PUBLICATIONS

Devices Worn on the Wrist, Vandrico Inc, <http://vandrico.com/device-categories/location/wrist> (pp. 1-14) (accessed Nov. 14, 2014).

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for a sensor module, as shown and described.

DESCRIPTION

This application makes reference to:
U.S. Design application Ser. No. 29/491,674 filed May 22, 2014.

The above referenced application, and all of the subject matter disclosed therein, is incorporated herein by reference in its entirety.

FIG. 1 is a top left front perspective view of a sensor module showing our new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top plan view thereof;



FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a bottom right rear perspective view thereof.

The even length dashed broken lines are for environmental purposes only and form no part of the claimed design.

The uneven length dot-dash broken lines represent an unclaimed boundary line and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D538,687 S * 3/2007 Komulainen D10/70
 D549,602 S * 8/2007 Oberrieder et al. D10/65
 D550,105 S * 9/2007 Oberrieder et al. D10/65
 D560,520 S * 1/2008 Oberrieder et al. D10/65
 D569,282 S * 5/2008 Daniel D10/65
 D573,905 S * 7/2008 Poirier D10/65
 7,618,260 B2 11/2009 Daniel et al.
 D610,476 S * 2/2010 Daniel D10/65
 D645,360 S * 9/2011 Kiser et al. D10/32
 8,280,681 B2 10/2012 Vock et al.
 D670,583 S * 11/2012 Shaanan D10/70
 D672,667 S * 12/2012 Mix D10/65
 8,412,317 B2 4/2013 Mazar
 8,618,930 B2 12/2013 Papadopoulos et al.
 2009/0306485 A1 12/2009 Bell
 2010/0178722 A1 7/2010 de Graff et al.

2011/0213255 A1 9/2011 Finburgh et al.
 2011/0288382 A1 11/2011 Finburgh et al.
 2012/0071731 A1 3/2012 Gottesman
 2012/0245464 A1 9/2012 Tran
 2013/0079693 A1 3/2013 Ranky et al.
 2013/0317333 A1 11/2013 Yang et al.
 2014/0078694 A1 3/2014 Wissmar
 2014/0107493 A1 4/2014 Yuen et al.

OTHER PUBLICATIONS

Devices Used for Lifestyle, Vandrico Inc., <http://vandrico.com/device-categories/application/lifestyle> (pp. 1-22) (accessed Nov. 14, 2014).
 Yoo, Jerald, et al., A 5.2 mW Self-Configured Wearable Body Sensor Network Controller and a 12 μ W Wirelessly Powered Sensor for a Continuous Health Monitoring System, IEEE Journal of Solid-State Circuits, vol. 45, No. 1, (pp. 178-188), Jan. 2010.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8