



US00D734826S

(12) **United States Design Patent**
Chow et al.

(10) **Patent No.:** **US D734,826 S**
(45) **Date of Patent:** **** Jul. 21, 2015**

(54) **SINGLE SHOT ELECTRONIC CONTROL DEVICE**

(71) Applicant: **TASER International, Inc.**, Scottsdale, AZ (US)

(72) Inventors: **Eric H. Chow**, Koto-ku (JP);
Christopher W. Baldwin, Mesa, AZ (US);
Michael E. Gish, Phoenix, AZ (US);
Ryan C. Markle, Peoria, AZ (US)

(73) Assignee: **TASER International, Inc.**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/479,306**

(22) Filed: **Jan. 14, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/428,830, filed on Aug. 3, 2012, now Pat. No. Des. 702,794.

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/104**

(58) **Field of Classification Search**
USPC D22/104, 108, 117; 361/232; 102/438,
102/293, 439, 502, 430, 447, 448, 469;
124/57-59; 89/1.11; 362/109, 119;
463/47.3, 47.4

CPC F41H 13/0012; F41H 13/18; F41H 13/25;
F41H 13/31; F41H 13/37
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,050,480 A 9/1991 Knight
5,522,167 A 6/1996 Teetzel
D445,846 S 7/2001 Hornsby

D449,354 S 10/2001 Hornsby
6,341,442 B1 1/2002 Szabo
D454,166 S 3/2002 Hornsby
D458,652 S 6/2002 Chan
D458,975 S 6/2002 Hornsby
6,415,702 B1 7/2002 Szabo
6,718,680 B2 4/2004 Roca
D504,489 S * 4/2005 Cerovic D22/104
D508,277 S * 8/2005 Cerovic D22/104
7,102,870 B2 9/2006 Nerheim
7,158,382 B2 1/2007 Fan

(Continued)

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — D. Lawrence Letham


(57) **CLAIM**

The ornamental design for a single shot electronic control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic control device, showing novel design, with the top, front, and left side visible; FIG. 2 is a perspective view of the electronic control device of FIG. 1, with the top, rear, and left side visible; FIG. 3 is a front view of the electronic control device of FIG. 1; FIG. 4 is a rear view of the electronic control device of FIG. 1; FIG. 5 is a right side view of the electronic control device of FIG. 1; FIG. 6 is a left side view of the electronic control device of FIG. 1; FIG. 7 is a top view of the electronic control device of FIG. 1; and, FIG. 8 is a bottom view of the electronic control device of FIG. 1. The right side and the left side are symmetrically identical except that a battery release push button appears only on the left side.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,314,007 B2 1/2008 Su
7,586,733 B2 9/2009 Nerheim
7,631,452 B1 12/2009 Brundula
7,679,000 B2 3/2010 Rauckman

D630,290 S * 1/2011 Velasquez et al. D22/104
D678,452 S * 3/2013 Baldwin et al. D22/103
D702,794 S * 4/2014 Chow et al. D22/104
2006/0187610 A1 * 8/2006 Su 361/232
2006/0209489 A1 * 9/2006 Smith 361/232

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8