



US00D735020S

(12) **United States Design Patent**
Bradford

(10) **Patent No.:** **US D735,020 S**
(45) **Date of Patent:** **** Jul. 28, 2015**

- (54) **CORD RETAINING DEVICE**
- (71) Applicant: **Christopher Bradford**, West Jordan, UT (US)
- (72) Inventor: **Christopher Bradford**, West Jordan, UT (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/502,154**
- (22) Filed: **Sep. 12, 2014**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 13/193,775, filed on Jul. 29, 2011, now abandoned.
- (51) **LOC (10) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/356**
- (58) **Field of Classification Search**
USPC D15/148, 5, 146, 147, 149; D23/269;
474/8, 29, 31, 37, 39, 41, 47, 48, 49,
474/50, 51, 52, 53, 54, 55, 56, 57, 69, 113,
474/135, 166
CPC A61K 45/06; B66D 1/00; F16H 59/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

75,735	A *	3/1868	Collins et al.	474/177
689,259	A	12/1901	Weguelin	
1,393,245	A	10/1921	Rosemeyer	
1,627,572	A *	5/1927	Olinger et al.	254/390
2,352,474	A *	6/1944	Firth et al.	474/98
2,565,339	A	8/1951	Anderson	
2,603,429	A	7/1952	Jawaroski et al.	
2,683,937	A	7/1954	Criswell	
3,817,471	A	6/1974	Finneman	
D297,707	S *	9/1988	Kanemitsu	D8/360

4,779,816	A	10/1988	Varlet	
4,824,422	A *	4/1989	Jocic	474/170
4,909,298	A	3/1990	Langhart et al.	
D308,013	S *	5/1990	Kanemitsu	D8/360
D309,094	S *	7/1990	Donis et al.	D8/354
D314,910	S	2/1991	VanSkiver	
D317,709	S *	6/1991	Kanemitsu	D8/360
D320,927	S *	10/1991	Kanemitsu	D8/360
5,255,866	A	10/1993	Campolo	
5,265,822	A	11/1993	Shober, Jr. et al.	
D347,378	S *	5/1994	Warner	D8/360
5,424,518	A	6/1995	Czemiak	
5,518,198	A	5/1996	Chumbley et al.	
5,540,626	A *	7/1996	Asai et al.	474/94
5,695,148	A	12/1997	Christensen	
5,906,233	A	5/1999	May	
D429,997	S	8/2000	Zeman	
6,237,885	B1	5/2001	Mitchell	
D459,197	S *	6/2002	Hodjat	D8/360
6,463,986	B1	10/2002	Gouda	
6,484,787	B1	11/2002	Walters	
6,575,536	B2 *	6/2003	Chen	301/35.623

(Continued)

Primary Examiner — Cynthia Underwood

(57)


CLAIM

The ornamental design for a cord retaining device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view showing my new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a top elevational view thereof; FIG. 5 is a bottom elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is front perspective view thereof; FIG. 8 is another front perspective view thereof; FIG. 9 is a rear perspective view thereof; and, FIG. 10 is another rear perspective view thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,637,493 B1 10/2003 Lampers
 D481,615 S * 11/2003 Hodjat et al. D8/360
 6,669,135 B1 * 12/2003 Hartley 242/390.9
 6,745,969 B1 6/2004 Gouda
 6,814,328 B1 11/2004 Li et al.
 7,117,918 B2 10/2006 Franssen
 7,156,338 B2 1/2007 Schartner
 D551,943 S * 10/2007 Hodjat et al. D8/349
 D568,083 S 5/2008 Chou
 D598,480 S * 8/2009 Kanemitsu D15/148
 7,614,611 B1 * 11/2009 Walton et al. 254/393
 D621,240 S * 8/2010 Lutter et al. D8/356

7,874,411 B2 * 1/2011 Roberts et al. 191/12.2 R
 D631,730 S * 2/2011 Skillman D8/356
 D643,702 S * 8/2011 Kanemitsu et al. D8/360
 D645,334 S * 9/2011 Kanemitsu et al. D8/360
 D654,778 S * 2/2012 Hines et al. D8/356
 D670,995 S * 11/2012 Stieler D8/356
 D679,572 S * 4/2013 Attaway D8/349
 D701,448 S * 3/2014 Rodwin D8/356
 D716,640 S * 11/2014 Martinson D8/356
 2003/0122023 A1 7/2003 Pitcher
 2004/0123958 A1 7/2004 Krug
 2004/0145123 A1 * 7/2004 Hystad 277/608
 2004/0178398 A1 * 9/2004 Miller et al. 254/390
 2011/0036676 A1 2/2011 Skillman

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3



FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10