



US00D735092S

(12) **United States Design Patent**
Morrish et al.

(10) **Patent No.:** **US D735,092 S**
(45) **Date of Patent:** **** Jul. 28, 2015**

(54) **EVACUATION CHAIR**

FOREIGN PATENT DOCUMENTS

(76) Inventors: **Gerald David Morrish**, Barnet (GB);
Kenneth George Morrish, Barnet (GB)

CN 2857916 Y 1/2007
DE 10238681 A1 3/2004
EM 001747361-0001 8/2010

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/399,302**

OTHER PUBLICATIONS

(22) Filed: **Aug. 11, 2011**

Co-pending U.S. Appl. No. 29/386,038, Morrish et al., "Evacuation Chair," Filed Feb. 24, 2011 (Not Published).

(30) **Foreign Application Priority Data**

(Continued)

Feb. 11, 2011 (EM) 001820556-0003

(51) **LOC (10) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/128**

(58) **Field of Classification Search**
USPC D12/128-133; 280/62, 647-650, 29,
280/200, 47.38, 250.1, 259, 642, 658,
280/304.1; 128/99.1, 100.1

See application file for complete search history.

Primary Examiner — Ian Simmons

Assistant Examiner — Charles Hanson

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for an evacuation chair, as shown and described.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,882,949	A	5/1975	Anderson	
4,033,595	A	7/1977	Mauch	
4,077,483	A	3/1978	Randolph	
4,136,888	A	1/1979	Bowie, Jr. et al.	
4,618,155	A	10/1986	Jayne	
4,678,202	A *	7/1987	Jensen et al.	280/642
5,228,709	A	7/1993	Kao	
5,269,544	A	12/1993	Park	
5,364,120	A *	11/1994	Shimansky	280/650
D430,078	S *	8/2000	Ellis et al.	D12/131
6,561,524	B1	5/2003	Medina	
6,648,343	B2 *	11/2003	Way et al.	280/5.22
6,929,275	B1 *	8/2005	Schlangen	280/250.1
D519,064	S *	4/2006	Schrand et al.	D12/130
7,125,022	B2	10/2006	Medina	
7,520,347	B2 *	4/2009	Chambliss et al.	180/8.2
7,841,611	B2 *	11/2010	Ivanchenko	280/250.1
8,191,908	B2 *	6/2012	Udall et al.	280/47.26

FIG. 1 is a side view of an evacuation chair showing our new design in a closed position;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a rear perspective view thereof;
FIG. 5 is a side perspective view thereof, showing the evacuation chair in an open position;
FIG. 6 is another side perspective view thereof, showing the handle in an alternate position;
FIG. 7 is a front perspective view thereof, showing the arms in an alternate position;
FIG. 8 is a front view thereof;
FIG. 9 is a side view thereof; and,
FIG. 10 is a rear view thereof.
The broken lines in the Figures show unclaimed environment and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

FOREIGN PATENT DOCUMENTS

EM	001747361-0002	8/2010
EM	001747361-0003	8/2010
EM	001747361-0004	8/2010
EM	001747361-0005	8/2010
EP	1894809 A2	3/2008
GB	178220	4/1922
GB	693983	7/1953
GB	1569166	6/1980
GB	2111001 A	6/1983

GB	2112330 A	7/1983
GB	2351268 A	12/2000
GB	2428649 A	2/2007
GB	2473833 A	3/2011
GB	2482593 A	2/2012

OTHER PUBLICATIONS

MFS Fire Extinguishers Catalogue, "MFS Fire Extinguishers Evacuation Chairs", http://www.mfs-fire-extinguishers.co.uk/acatato1/Evacuation_Chair.html, accessed on Aug. 22, 2013, 1 page.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D735,092 S
APPLICATION NO. : 29/399302
DATED : July 28, 2015
INVENTOR(S) : Morrish et al.

Page 1 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute therefore with the attached title page consisting of the corrected illustrative figure.

IN THE DRAWINGS

Please replace Figures 1 - 10 in the printed patent with the attached replacement Figures 1 - 10.

Signed and Sealed this
Sixteenth Day of August, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office

(12) **United States Design Patent**
Morrish et al.

(10) **Patent No.:** **US D735,092 S**
(45) **Date of Patent:** **** Jul. 28, 2015**

(54) **EVACUATION CHAIR**

FOREIGN PATENT DOCUMENTS

(76) **Inventors:** **Gerald David Morrish, Barnet (GB);**
Kenneth George Morrish, Barnet (GB)

CN 2857916 Y 4 2007
 DE 19238681 A1 3 2004
 FM 001747364-0001 8 2010

(**) **Term:** **14 Years**

(Continued)

(21) **Appl. No.:** **29/199,302**

OTHER PUBLICATIONS

(22) **Filed:** **Aug. 11, 2011**

Co-pending U.S. Appl. No. 29/386,038, Morrish et al., "Evacuation Chair," Filed Feb. 24, 2011 (Not Published)

(30) **Foreign Application Priority Data**

(Continued)

Feb. 11, 2011 (FM) 001820556-0003

(51) **LOC (10) CL** 12-12

Primary Examiner — Ian Simmons

(52) **U.S. CL**
 USPC D12/128

Assistant Examiner — Charles Hanson

(58) **Field of Classification Search**
 USPC D12/128-133; 280/62, 647, 650, 29,
 280/200, 47, 38, 250.1, 259, 642, 658,
 280/304.1; 128/99.1, 100.1

(74) *Attorney, Agent or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

See application file for complete search history.

(57) **CLAIM**

The ornamental design for an evacuation chair, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

3,882,949	A	5:1975	Anderson
4,033,595	A	7:1977	Mauch
4,077,483	A	3:1978	Randolph
4,136,888	A	1:1979	Bowie, Jr. et al.
4,618,155	A	10:1986	Jayne
4,678,202	A *	7:1987	Jensen et al. 280/642
5,228,709	A	7:1993	Kao
5,269,544	A	12:1993	Park
5,364,120	A *	11:1994	Shimansky 280/650
19430,078	S *	8:2000	Ellis et al. D12/131
6,561,524	B1	5:2003	Medina
6,648,343	B2 *	11:2003	Way et al. 280/522
6,929,375	B1 *	8:2005	Schiangen 280/250.1
D519,064	S *	4:2006	Schrand et al. D12/130
7,125,022	B2	10:2006	Medina
7,520,347	B2 *	4:2009	Chambliss et al. 180/8.2
7,841,641	B2 *	11:2010	Ivanchenko 280/250.1
8,191,908	B2 *	6:2012	Udall et al. 280/47.26

FIG. 1 is a side view of an evacuation chair showing our new design in a closed position;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a rear perspective view thereof;

FIG. 5 is a side perspective view thereof, showing the evacuation chair in an open position;

FIG. 6 is another side perspective view thereof, showing the handle in an alternate position;

FIG. 7 is a front perspective view thereof, showing the arms in an alternate position;


FIG. 8 is a front view thereof;

FIG. 9 is a side view thereof; and,

FIG. 10 is a rear view thereof.

The broken lines in the Figures show unclaimed environment and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10