



US00D735155S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D735,155 S**
(45) **Date of Patent:** **** Jul. 28, 2015**

(54) **TELEVISION RECEIVER**

(71) Applicant: **LG Electronics Inc.**, Seoul (KR)

(72) Inventors: **Taeho Kim**, Seoul (KR); **Byungmu Huh**, Seoul (KR); **Yoonkyeong Lee**, Seoul (KR)

(73) Assignee: **LG Electronics Inc.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/473,300**

(22) Filed: **Nov. 21, 2013**

(30) **Foreign Application Priority Data**

May 22, 2013 (KR) 30-2013-0026585

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/126**

(58) **Field of Classification Search**

USPC D14/125–134, 239, 371, 215, 374–377,
D14/450, 448, 336, 159, 509, 510; D6/300;
D10/15, 26; D21/329, 515, 577, 333,
D21/331; D16/200, 208; D9/448; 312/7.2;
248/917–924, 465; 446/484, 175;
345/104, 156, 168, 87, 173; 348/836,
348/838, 180, 184, 325, 739, 143, 207.1,
348/333.07, 374, 14.04

CPC H04N 5/77; H04N 5/772; H04N 5/645;
H04N 5/4403; H04N 5/2257

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D373,728 S * 9/1996 Moore D9/448
D375,263 S * 11/1996 Knickerbocker D9/448
D387,040 S * 12/1997 Iino D14/375
D540,280 S * 4/2007 Yeo D14/126
D626,103 S * 10/2010 Buzzard et al. D14/126

(Continued)

Primary Examiner — Cathron Brooks

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for a television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a television receiver showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a rear perspective view thereof showing the state in which the camera lens has been inserted into the inside;

FIG. 10 is a reference view showing the state that the connecting part of the camera can be detached;

FIG. 11 is a perspective view showing the state that the connecting part of the camera has been completely detached;

FIG. 12 is a front view of FIG. 11;

FIG. 13 is a rear view of FIG. 11;

FIG. 14 is a left side view of FIG. 11;

FIG. 15 is a right side view of FIG. 11;

FIG. 16 is a top plan view of FIG. 11;


FIG. 17 is a bottom plan view of FIG. 11;

FIG. 18 is a rear perspective view of FIG. 11; and,

FIG. 19 is a reference view showing the state that the connecting part of the camera has been detached and then the television receiver has been connected to the corresponding bracket on the wall.

The broken lines shown illustrate portions of the television receiver that forms no part of the claimed design.

1 Claim, 19 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D637,985 S * 5/2011 Andresen D14/129
D700,594 S * 3/2014 Lee et al. D14/239
D701,989 S * 4/2014 Rodgers et al. D26/76
D714,747 S * 10/2014 Kim et al. D14/126
8,860,772 B2 * 10/2014 Yamada 348/14.03
D718,260 S * 11/2014 Mellingen et al. D14/126

D718,730 S * 12/2014 Andresen et al. D14/126
D719,120 S * 12/2014 Park et al. D14/126
D720,316 S * 12/2014 Huh et al. D14/126
2010/0194845 A1 * 8/2010 Cho et al. 348/14.04
2010/0302165 A1 * 12/2010 Li 345/168
2013/0169739 A1 * 7/2013 Cho 348/14.04
2013/0188006 A1 * 7/2013 McMahon 348/14.04
2014/0232865 A1 * 8/2014 Kim et al. 348/143

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

