US00D735401S

(12) United States Design Patent

Clements

(10) Patent No.: US D735,401 S
(45) Date of Patent: ** Jul. 28, 2015

(54) **MULTI-PANEL EDGELIT LUMINAIRE**

(71) Applicant: **Russ Clements**, Atlanta, GA (US)

(72) Inventor: **Russ Clements**, Atlanta, GA (US)

(73) Assignee: **Cooper Technologies Company**, Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/486,538**

(22) Filed: **Mar. 31, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/452,823, filed on Apr. 22, 2013, now Pat. No. Des. 701,988.

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/120**

(58) **Field of Classification Search**
USPC D26/9, 10, 12, 13, 15, 16, 51, 61, 72, D26/76, 80, 81, 85, 86, 88, 90, 113, 118, D26/119, 120, 122, 128, 129, 138, 143, 144
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D85,382	S	*	10/1931	Guth	D26/24
D122,236	S	*	8/1940	Scribner	D26/76
D123,768	S	*	12/1940	Scribner	D26/78
D168,974	S	*	3/1953	Spaulding	D26/76
3,272,978	A	*	9/1966	Jackson	362/408
D232,257	S	*	7/1974	Paulson	D26/80
D266,578	S	*	10/1982	Moshier	D23/328
4,531,180	A	*	7/1985	Hernandez	362/297
5,195,822	A	*	3/1993	Takahashi et al.	362/296.04
5,440,470	A	*	8/1995	Ly	362/341
D386,804	S		11/1997	Engel	
6,299,327	B1	*	10/2001	Camarota	362/219
D456,938	S	*	5/2002	Wardenburg	D26/118
D459,825	S	*	7/2002	Field	D26/80
D465,869	S	*	11/2002	Bodell	D26/78
6,527,422	B1	*	3/2003	Hutchison	362/373
6,595,662	B2	*	7/2003	Wardenburg	362/362
D496,121	S		9/2004	Santoro	
7,131,753	B1	*	11/2006	Edwards, Jr.	362/405
D543,652	S	*	5/2007	Hargreaves	D26/76
D544,139	S	*	6/2007	Hargreaves	D26/118

(Continued)

OTHER PUBLICATIONS

ZR Series High Efficacy Troffer, image post date Apr. 13, 2012, site visited Oct. 31, 2014, (online), <http://www.cree.com/Lighting/Products>.*

(Continued)

Primary Examiner — Kevin Rudzinski
Assistant Examiner — Sean D Lough
(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for a multi-panel edgelit luminaire, as shown and described.

DESCRIPTION

FIG. **1** is a top perspective view of a multi-panel edgelit luminaire, showing my new design;
FIG. **2** is a bottom perspective view thereof;
FIG. **3** is a top plan view thereof;
FIG. **4** is a bottom plan view thereof;
FIG. **5** is a left-side elevation view thereof;
FIG. **6** is a right-side elevation view thereof;
FIG. **7** is a front elevation view thereof; and,
FIG. **8** is a rear elevation view thereof.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design. The area between the curved broken lines shown passing through the design forms no part of the claimed design.

1 Claim, 6 Drawing Sheets





(56) **References Cited**

U.S. PATENT DOCUMENTS

D544,983	S	*	6/2007	Hargreaves	D26/76
D544,985	S	*	6/2007	Hargreaves	D26/78
D544,987	S	*	6/2007	Hargreaves	D26/88
D545,484	S	*	6/2007	Hargreaves	D26/118
D548,386	S	*	8/2007	McDowell	D26/118
D597,241	S	*	7/2009	Fabbri et al.	D26/74
D605,342	S	*	12/2009	Chung et al.	D26/118
D608,490	S	*	1/2010	Chung et al.	D26/118
D610,735	S	*	2/2010	Chien	D26/76
7,722,228	B2	*	5/2010	Broer	362/373
D632,419	S	*	2/2011	Ng et al.	D26/78
D633,247	S		2/2011	Kong et al.	
D634,060	S	*	3/2011	Wardenburg	D26/118
D636,112	S	*	4/2011	Chung et al.	D26/122
D637,162	S	*	5/2011	Bridgman	D13/152
D637,341	S	*	5/2011	Wardenburg	D26/118
D653,376	S		1/2012	Kong et al.	
D664,699	S		7/2012	Nakahira et al.	
D665,119	S		8/2012	Bryant	
D667,584	S	*	9/2012	Beghelli	D26/75
D667,983	S		9/2012	Pickard et al.	
D673,711	S		1/2013	Pickard et al.	
D675,364	S		1/2013	Watt	
8,348,481	B2	*	1/2013	Chang	362/404
D677,820	S		3/2013	Mayfield et al.	
D678,597	S	*	3/2013	Lehman et al.	D26/120
D679,848	S	*	4/2013	Pickard et al.	D26/74
D681,872	S		5/2013	Kong et al.	
D697,652	S	*	1/2014	Savani	D26/76
D698,975	S	*	2/2014	Blessitt et al.	D26/74
D698,987	S	*	2/2014	Stanley	D26/118
D701,988	S	*	4/2014	Clements	D26/74
D705,474	S	*	5/2014	Philips	D26/76
D705,974	S	*	5/2014	Blessitt et al.	D26/74
8,827,490	B2	*	9/2014	Kim et al.	362/235
2002/0141195	A1	*	10/2002	Peter	362/362
2003/0031011	A1	*	2/2003	Miller et al.	362/150
2009/0316414	A1	*	12/2009	Yang et al.	362/296.01
2009/0323335	A1	*	12/2009	Yang et al.	362/247
2011/0176306	A1		7/2011	Kim et al.	
2013/0083539	A1	*	4/2013	Dimitriadis	362/297

OTHER PUBLICATIONS

NPL date for ZR Series High Efficacy Troffer from Wayback Machine, image post date Oct. 31, 2014, site visited Oct. 31, 2014, (online), <http://web.archive.org/web/20120415000000*/http://www.cree.com/Lighting/Products>.*

Cree CR24, image post date Apr. 28, 2011, site visited Nov. 15, 2014, (online), <http://www.ledsmagazine.com/content/dam/leds/migrated/objects/news/8/4/19/Cree204272011.jpg>.*

NPL date for Cree CR24, image post date Apr. 28, 2011, site visited Nov. 15, 2014, (online), <http://www.ledsmagazine.com/articles/2011/04/cree-delivers-led-alternative-to-linear-fluorescent-fixtures.html>.*

Cree AR Series Architectural LED Troffer, image post date Mar. 9, 2013, site visited Nov. 21, 2014, (online), <http://web.archive.org/web/20130309023733/http://www.cree.com/lighting/products/indoor/troffers/ar-series>.*

* cited by examiner



FIG. 1



FIG. 2

FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8