



US00D735416S

(12) **United States Design Patent**  
**Clewell**

(10) **Patent No.:** **US D735,416 S**

(45) **Date of Patent:** **\*\* Jul. 28, 2015**

(54) **SAFETY VEST**

(71) Applicant: **Michael B. Clewell**, Hilton Head, SC  
(US)

(72) Inventor: **Michael B. Clewell**, Hilton Head, SC  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,136**

(22) Filed: **Mar. 17, 2014**

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/101.4**

(58) **Field of Classification Search**  
USPC ..... D29/100, 101.1, 101.2, 101.3, 101.4,  
D29/101.5, 124; D21/804, 805; 441/115;  
2/2.5, 48, 46, 51, 69, 79, 85, 92, 93,  
2/94, 102, 108; 5/81.1 R; 362/108;  
D24/190; D2/830  
CPC ..... A41D 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D279,595 S *	7/1985	Evert	.....	D21/805
5,584,737 A *	12/1996	Luhtala	.....	441/107
D385,088 S *	10/1997	Handysides	.....	D2/831
D402,788 S *	12/1998	Blankenship, Jr.	.....	D2/839
6,328,618 B1 *	12/2001	Fleischli	.....	441/106
D506,594 S *	6/2005	Corris	.....	D2/829
D552,206 S *	10/2007	Peterson	.....	D21/804
D554,225 S *	10/2007	Peterson	.....	D21/805
D608,503 S *	1/2010	de Roaldes et al.	.....	D29/101.4

\* cited by examiner

*Primary Examiner* — Randall Gholson

(74) *Attorney, Agent, or Firm* — J. Bennett Mullinax, LLC

(57) **CLAIM**


The ornamental design for a safety vest, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the safety vest according to the present design;  
 FIG. 2 is a front elevation view of the safety vest as shown in FIG. 1;  
 FIG. 3 is a left side view of the safety vest as shown in FIG. 1;  
 FIG. 4 is a right side view of the safety vest as shown in FIG. 1;  
 FIG. 5 is a back view of the safety vest as shown in FIG. 1;  
 FIG. 6 is a top view of the safety vest as shown in FIG. 1;  
 FIG. 7 is a bottom view of the safety vest as shown in FIG. 1;  
 FIG. 8 is a front perspective view of the safety vest in FIG. 1 showing an integral hood in deployed position;  
 FIG. 9 is a front elevation view of the safety vest as shown in FIG. 8;  
 FIG. 10 is a left side view of the safety vest as shown in FIG. 8;  
 FIG. 11 is a right side view of the safety vest as shown in FIG. 8;  
 FIG. 12 is a back view of the safety vest as shown in FIG. 8;  
 FIG. 13 is a top view of the safety vest as shown in FIG. 8; and,  
 FIG. 14 is a bottom view of the safety vest as shown in FIG. 8.

The broken lines depict portions of the safety vest that form no part of the claimed design. The straps on the left and right sides of the safety vest are shown with symbolic breaks in their lengths. The appearance of any portion of the article between the break lines forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5



**FIG. 6**



**FIG. 7**




FIG. 8






FIG. 9




FIG. 10






FIG. 12




FIG. 13




FIG. 14