



US00D735422S

(12) **United States Design Patent**
Franz

(10) **Patent No.:** **US D735,422 S**
(45) **Date of Patent:** **** Jul. 28, 2015**

- (54) **LICENSE PLATE BRONC NOSEBAND**
- (71) Applicant: **Cynthia Hope Franz**, Sun Valley, CA (US)
- (72) Inventor: **Cynthia Hope Franz**, Sun Valley, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/486,241**
- (22) Filed: **Mar. 27, 2014**
- (51) **LOC (10) Cl.** **30-01**
- (52) **U.S. Cl.**
USPC **D30/136**
- (58) **Field of Classification Search**
USPC D30/134-143, 152; 54/2, 6.1, 6.2, 15, 54/24, 34, 76; 119/654, 821, 831; D2/634, D2/860, 864, 894; 40/29; D24/189, 124; 602/41, 42, 52, 57; D6/582, 591, 596; D3/232, 243, 318, 327
CPC B68B 1/04; B68B 1/02; B68B 1/00; A01K 27/001; A01K 27/002; A01K 25/00; A01K 27/00; A01K 27/003
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

147,920	A *	2/1874	Fallin	54/34
203,324	A *	5/1878	Cox	54/6.2
RE10,055	E *	3/1882	Ortmayer	54/41.1
288,595	A *	11/1883	Rorebeck	54/24
293,108	A *	2/1884	Sutphen	54/6.1
293,999	A *	2/1884	Barnard	54/24
295,812	A *	3/1884	Rorebeck	54/6.2
362,708	A *	5/1887	Bergman	54/1
1,335,118	A *	3/1920	Link	119/766
1,370,618	A *	3/1921	Turner	54/1
1,455,445	A *	5/1923	Miner	119/831
1,552,145	A *	9/1925	Haile	54/6.1
1,619,224	A *	3/1927	Walsh	54/6.1
2,528,802	A *	11/1950	Turner	2/19

3,160,343	A *	12/1964	Schantzer	383/4
3,306,005	A *	2/1967	Stafford	54/6.1
D244,885	S *	6/1977	Pierson	D3/232
D292,357	S *	10/1987	Narain	D7/554.3
4,729,416	A *	3/1988	Miller	74/558
4,811,695	A *	3/1989	Higgins	119/864
5,001,892	A *	3/1991	Mezin et al.	54/71
5,092,067	A *	3/1992	Prout	40/633
D394,823	S *	6/1998	Vos	D11/79
D403,547	S *	1/1999	Adkins	D6/583
D406,000	S *	2/1999	Hartranft	D6/582
D465,333	S *	11/2002	Chen	D3/322
D511,036	S *	11/2005	Moses	D2/894
D529,281	S *	10/2006	Gonzalez	D3/243

(Continued)

Primary Examiner — George D Kirschbaum
Assistant Examiner — Jennifer Watkins


(57) **CLAIM**

The ornamental design for a license plate bronc noseband, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a license plate bronc noseband, shown on a horse halter;
 FIG. 2 is a perspective front elevation view of the license plate bronc noseband;
 FIG. 3 is a front elevation view of the license plate bronc noseband;
 FIG. 4 is a rear elevation view of the license plate bronc noseband;
 FIG. 5 is a left side elevation view of the license plate bronc noseband, right side elevation view is a mirror image thereof; and,
 FIG. 6 is a top plan view of the license plate bronc noseband, bottom plan view is a mirror image thereof.
 The horse, halter and rivets shown in broken line are for the purpose of illustrating environment that forms no part of the claimed design. The broken line showing on the license plate bronc noseband illustrates portions of the article that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

D564,139 S *	3/2008	Nichols	D30/152	D646,894 S *	10/2011	Orilland	D3/318
D578,747 S *	10/2008	Le	D2/970	D650,982 S *	12/2011	de Lima	D2/971
D616,790 S *	6/2010	Mear	D11/200	D655,556 S *	3/2012	Isom-Morris	D6/596
D620,741 S *	8/2010	Pride-Darrington et al. ..	D6/608	D688,900 S *	9/2013	McBrearty	D6/608
7,905,852 B2 *	3/2011	Jennings-Spring	602/63	D712,684 S *	9/2014	Shiheiber	D6/608
D641,936 S *	7/2011	Simpson et al.	D30/118	D718,825 S *	12/2014	Ross	D21/662
D642,747 S *	8/2011	Marschke et al.	D30/152	2001/0047144 A1 *	11/2001	Tillotson et al.	602/41
				2008/0250680 A1 *	10/2008	MacNeil	40/209
				2011/0239495 A1 *	10/2011	Puccio	40/204

* cited by examiner

FIG. 1






FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6