



US00D735870S

(12) **United States Design Patent**
Ban

(10) **Patent No.:** **US D735,870 S**

(45) **Date of Patent:** **** Aug. 4, 2015**

(54) **POSTURE CORRECTION APPARATUS**

(71) Applicant: **NCC Co., Ltd.**, Chita-shi, Aichi (JP)

(72) Inventor: **Toshiki Ban**, Chita (JP)

(73) Assignee: **NCC CO., LTD.**, Chita-Shi, Aichi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/443,997**

(22) Filed: **Jan. 24, 2013**

(30) **Foreign Application Priority Data**

Oct. 18, 2012 (JP) 2012-025363

(51) **LOC (10) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/188**

(58) **Field of Classification Search**
USPC D24/188, 211–215; D21/662, 671, 674,
D21/686–689, 694, 797, 798; 482/51, 70,
482/79, 93, 96, 121, 123, 129–131, 140,
482/142, 148; D6/596, 601; D30/160
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D152,394 S *	1/1949	Ceverha	D21/662
D242,390 S *	11/1976	Grube	D24/215
D282,990 S *	3/1986	Sims et al.	D6/502
4,752,067 A *	6/1988	Colonello	482/140
D309,689 S *	8/1990	Bool	D6/601
D310,312 S *	9/1990	Wong et al.	D6/596
5,033,742 A *	7/1991	Johnson et al.	482/140
5,207,704 A *	5/1993	Shields	606/240
5,474,513 A *	12/1995	Carlesimo et al.	482/140
5,702,333 A *	12/1997	Waldron et al.	482/131
5,795,276 A *	8/1998	Almeda	482/142

D416,059 S *	11/1999	Cayne et al.	D21/687
D428,454 S *	7/2000	Fischer et al.	D21/662
D432,242 S *	10/2000	Lie	D24/212
6,336,895 B1 *	1/2002	Dukes	482/140
D456,084 S *	4/2002	Smith	D21/687
D469,486 S *	1/2003	Olson	D21/687
D506,514 S *	6/2005	Bernstein	D21/687
D587,271 S *	2/2009	Johnson et al.	D14/439
D591,803 S *	5/2009	Carbone	D21/662
D604,929 S *	12/2009	Hartmann	D1/127
7,695,407 B2 *	4/2010	Miller et al.	482/51
D637,030 S *	5/2011	Khandai	D6/601
D663,149 S *	7/2012	Cohen	D6/601
D670,873 S *	11/2012	Seliskar et al.	D30/160

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP


(57) **CLAIM**

The ornamental design for a posture correction apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the posture correction apparatus, showing the new design;
FIG. 2 is a front view of the posture correction apparatus;
FIG. 3 is a rear view of the posture correction apparatus;
FIG. 4 is a front side view of the posture correction apparatus;
FIG. 5 is a rear side view of the posture correction apparatus;
and,
FIG. 6 is a right side view of the posture correction apparatus. The broken lines showing various elements of the posture correction apparatus are included for the purpose of illustrating non-claimed subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6