



US00D735870S

(12) **United States Design Patent**
Ban

(10) **Patent No.:** **US D735,870 S**

(45) **Date of Patent:** **** Aug. 4, 2015**

(54) **POSTURE CORRECTION APPARATUS**

(71) Applicant: **NCC Co., Ltd.**, Chita-shi, Aichi (JP)

(72) Inventor: **Toshiki Ban**, Chita (JP)

(73) Assignee: **NCC CO., LTD.**, Chita-Shi, Aichi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/443,997**

(22) Filed: **Jan. 24, 2013**

(30) **Foreign Application Priority Data**

Oct. 18, 2012 (JP) 2012-025363

(51) **LOC (10) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/188**

(58) **Field of Classification Search**
USPC D24/188, 211–215; D21/662, 671, 674,
D21/686–689, 694, 797, 798; 482/51, 70,
482/79, 93, 96, 121, 123, 129–131, 140,
482/142, 148; D6/596, 601; D30/160
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|------------------|-------|---------|
| D152,394 S * | 1/1949 | Ceverha | | D21/662 |
| D242,390 S * | 11/1976 | Grube | | D24/215 |
| D282,990 S * | 3/1986 | Sims et al. | | D6/502 |
| 4,752,067 A * | 6/1988 | Colonello | | 482/140 |
| D309,689 S * | 8/1990 | Bool | | D6/601 |
| D310,312 S * | 9/1990 | Wong et al. | | D6/596 |
| 5,033,742 A * | 7/1991 | Johnson et al. | | 482/140 |
| 5,207,704 A * | 5/1993 | Shields | | 606/240 |
| 5,474,513 A * | 12/1995 | Carlesimo et al. | | 482/140 |
| 5,702,333 A * | 12/1997 | Waldron et al. | | 482/131 |
| 5,795,276 A * | 8/1998 | Almeda | | 482/142 |

| | | | | |
|----------------|---------|-----------------|-------|---------|
| D416,059 S * | 11/1999 | Cayne et al. | | D21/687 |
| D428,454 S * | 7/2000 | Fischer et al. | | D21/662 |
| D432,242 S * | 10/2000 | Lie | | D24/212 |
| 6,336,895 B1 * | 1/2002 | Dukes | | 482/140 |
| D456,084 S * | 4/2002 | Smith | | D21/687 |
| D469,486 S * | 1/2003 | Olson | | D21/687 |
| D506,514 S * | 6/2005 | Bernstein | | D21/687 |
| D587,271 S * | 2/2009 | Johnson et al. | | D14/439 |
| D591,803 S * | 5/2009 | Carbone | | D21/662 |
| D604,929 S * | 12/2009 | Hartmann | | D1/127 |
| 7,695,407 B2 * | 4/2010 | Miller et al. | | 482/51 |
| D637,030 S * | 5/2011 | Khandai | | D6/601 |
| D663,149 S * | 7/2012 | Cohen | | D6/601 |
| D670,873 S * | 11/2012 | Seliskar et al. | | D30/160 |

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP


(57) **CLAIM**

The ornamental design for a posture correction apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the posture correction apparatus, showing the new design;
FIG. 2 is a front view of the posture correction apparatus;
FIG. 3 is a rear view of the posture correction apparatus;
FIG. 4 is a front side view of the posture correction apparatus;
FIG. 5 is a rear side view of the posture correction apparatus;
and,
FIG. 6 is a right side view of the posture correction apparatus. The broken lines showing various elements of the posture correction apparatus are included for the purpose of illustrating non-claimed subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6