



US00D735988S

(12) **United States Design Patent**  
**Hull**

(10) **Patent No.:** **US D735,988 S**

(45) **Date of Patent:** **\*\* Aug. 11, 2015**

(54) **HAND HARNESS**

(71) Applicant: **Glenn L. Hull**, South San Francisco, CA (US)

(72) Inventor: **Glenn L. Hull**, South San Francisco, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/462,267**

(22) Filed: **Aug. 1, 2013**

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/229**

(58) **Field of Classification Search**  
USPC ..... D3/215, 228, 229; D6/567; 248/102, 248/205.2, 309.1; 224/197, 219, 247, 224/250-251, 675, 677, 901.4, 922, 930; 24/3.12, 17 B, 17 AP, 31 V, 16 R, 306, 24/442, 304, DIG. 11; 428/100

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|              |      |         |              |           |
|--------------|------|---------|--------------|-----------|
| 1,769,241    | A    | 7/1930  | Stephani     |           |
| 3,112,889    | A    | 12/1963 | Marmo et al. |           |
| 3,550,824    | A    | 12/1970 | Bohanski     |           |
| D271,160     | S    | 11/1983 | Sherwin      |           |
| 4,759,963    | A *  | 7/1988  | Uso et al.   | 428/100   |
| 4,788,631    | A    | 11/1988 | Fuller       |           |
| 4,809,974    | A *  | 3/1989  | Buhr         | 224/250   |
| 5,104,076    | A *  | 4/1992  | Goodall, Jr. | 248/205.2 |
| 5,174,483    | A *  | 12/1992 | Moore et al. | 224/250   |
| D357,801     | S *  | 5/1995  | Short        | D3/215    |
| 5,601,356    | A    | 2/1997  | McWilliams   |           |
| 6,357,084    | B1 * | 3/2002  | Haidon       | 24/3.12   |
| 8,303,129    | B1   | 11/2012 | Thielen      |           |
| D675,011     | S *  | 1/2013  | Stiefel      | D3/215    |
| 8,398,255    | B2   | 3/2013  | Starogiannis |           |
| 2012/0307506 | A1   | 12/2012 | Gunn         |           |

\* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

(74) Attorney, Agent, or Firm — Richard L Miller

(57) **CLAIM**

The ornamental design for a hand harness, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a hand harness showing my new design installed on a left hand shown in phantom;

FIG. 2 is a perspective view thereof of the first embodiment of the hand harness per se;

FIG. 3 is a top plan view thereof, taken in the direction of arrow 3 in FIG. 17;

FIG. 4 is a bottom plan view thereof, taken in the direction of arrow 4 in FIG. 17;

FIG. 5 is a rear elevational view thereof, taken in the direction of arrow 5 in FIG. 17;

FIG. 6 is a left side elevational view thereof, taken in the direction of arrow 6 in FIG. 17, it being understood that right side elevational view is a mirror image thereof;

FIG. 7 is a front elevational view thereof, taken in the direction of arrow 7 in FIG. 17;

FIG. 8 is a perspective view of a second embodiment of a hand harness showing my new design installed on a left hand shown in phantom;

FIG. 9 is a perspective view thereof of the second embodiment of hand harness per se;

FIG. 10 is a top plan view thereof, taken in the direction of arrow 10 in FIG. 18;

FIG. 11 is a bottom plan view thereof, taken in the direction of arrow 11 in FIG. 18;

FIG. 12 is a rear elevational thereof, taken in the direction of arrow 12 in FIG. 18;

FIG. 13 is a left side elevational view thereof, taken in the direction of arrow 13 in FIG. 18, it being understood that right side elevational view is a mirror image thereof;

FIG. 14 is a front elevational view thereof, taken in the direction of arrow 14 in FIG. 18;

FIG. 15 is view illustrating the hook pile side of hook and loop pile fastener utilized to fabricate the hand harness;

FIG. 16 is view illustrating the loop pile side of hook and loop pile fastener utilized to fabricate the hand harness;




FIG. 17 is a view identical to FIG. 2 with descriptive legend directional arrows included which are necessary for better understanding of the drawing in accordance with 37 CFR 1084(o) and appropriate with good engineering practices, so as to best indicate in what directions previous views are taken so that nothing regarding the design sought to be patented is ambiguous or left to conjecture; and,


FIG. 18 is a view identical to FIG. 9 with descriptive legend directional arrows included which are necessary for better understanding of the drawing in accordance with 37 CFR 1084(o) and appropriate with good engineering practices, so

as to best indicate in what directions previous views are taken so that nothing regarding the design sought to be patented is ambiguous or left to conjecture.


It is to be understood that:

- 1.) Any portion of any figure shown in phantom lines are for environmental purposes only and form no part of the claimed design;
- 2.) The dotted lines shown in various figures represent stitching and is part of the claimed design; and
- 3.) The hand harness can be used on the left or right hand.

**1 Claim, 13 Drawing Sheets**




**Fig. 1**




**Fig. 2**





**Fig. 3**




***Fig. 4***



**Fig. 5**




**Fig. 6**




**Fig. 7**






**Fig. 8**






**Fig. 9**




**Fig. 10**






***Fig. 11***







**Fig. 12**




**Fig. 13**




**Fig. 14**



***Fig. 15***




***Fig. 16***



**Fig. 17**





**Fig. 18**