



US00D736062S

(12) **United States Design Patent**  
**Ertel**

(10) **Patent No.:** **US D736,062 S**  
(45) **Date of Patent:** **\*\* Aug. 11, 2015**

- (54) **AIR CHUTE BRACKET**
- (71) Applicant: **THERMO KING CORPORATION**,  
Minneapolis, MN (US)
- (72) Inventor: **Christopher David Ertel**, Minneapolis,  
MN (US)
- (73) Assignee: **THERMO KING CORPORATION**,  
Minneapolis, MN (US)

D445,362 S	7/2001	Brys	
D449,795 S	10/2001	Brys	
6,508,076 B1	1/2003	Gast et al.	
D592,945 S *	5/2009	Mahan	D8/381
D632,225 S	2/2011	Brys	
D671,821 S *	12/2012	Anzelmo	D8/380
D685,253 S *	7/2013	Hiebert	D8/354
D690,188 S *	9/2013	Pontus	D8/349
D695,090 S *	12/2013	White	D8/354
2012/0198866 A1	8/2012	Zeidner	

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,188**

(22) Filed: **Jan. 28, 2013**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/354**

(58) **Field of Classification Search**  
USPC ..... D8/349, 354; 248/188.7, 206.2, 205.5  
CPC ..... A47F 5/00; A47H 1/10; E04G 5/06;  
A47G 29/00; A47G 29/08; A47B 97/00;  
H02G 3/123; B60R 2011/0005; B60K  
2350/941; B60K 37/04  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,792,595 A	2/1974	Willis	
3,879,955 A	4/1975	Dostal et al.	
3,992,892 A	11/1976	Sain et al.	
4,399,737 A	8/1983	Severson	
4,799,607 A	1/1989	Podd	
4,887,437 A	12/1989	Fenton et al.	
D319,420 S	8/1991	Brys	
D383,105 S	9/1997	Brys	
6,116,044 A	9/2000	Gothier	
D442,063 S *	5/2001	Snyder	D8/349

FOREIGN PATENT DOCUMENTS

CA	2054763 A1	8/1991
CA	2664447 A1	12/2009
EP	0832826 A1	1/1998
EP	1122191 A2	8/2001

\* cited by examiner

*Primary Examiner* — Holly Baynham

(74) *Attorney, Agent, or Firm* — Hamre, Schumann, Mueller & Larson, P.C.


(57) **CLAIM**


The ornamental design for an air chute bracket, as shown and described.

**DESCRIPTION**



FIG. 1 is a top perspective view of an air chute bracket showing our new design;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a top view thereof;  
 FIG. 5 is a bottom view thereof; and,  
 FIG. 6 is a right view thereof, and a left view (not shown) is a mirror image of FIG. 6.  
 Surface shading in the FIGS. 1-6 is provided to show clearly the character and contour of all surfaces of any three-dimensional aspects of the design.

**1 Claim, 3 Drawing Sheets**





*Fig. 1*



*Fig. 4*



*Fig. 5*



*Fig. 6*

