

US00D736073S

(12) **United States Design Patent** (10) **Patent No.:** **US D736,073 S**
Eriksson (45) **Date of Patent:** **** Aug. 11, 2015**

(54) **ADJUSTABLE-LENGTH CLAMPING DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Thule Sweden AB**, Hillerstorp (SE)

CN 301740637 * 11/2011
CN 301837830 * 2/2012

(72) Inventor: **Henrik Eriksson**, Jönköping (SE)

(Continued)

(73) Assignee: **THULE SWEDEN AB**, Hillerstorp (SE)

OTHER PUBLICATIONS

(**) Term: **14 Years**

AMazon Irwin clamp review date Jun. 29, 2000, online, site visited May 13, 2015, http://www.amazon.com/Tools-QUICK-GRIP-Spreader-12-Inch-512QCN/dp/B001DK7SJM/ref=sr_1_1?m=ATVPDKIKX0DER&s=hi&ie=UTF8&qid=143...*

(21) Appl. No.: **29/465,391**

(Continued)

(22) Filed: **Aug. 27, 2013**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**

USPC **D8/394**

(58) **Field of Classification Search**

USPC D8/394-396, 71-74, 499, 354-355;
D19/65, 164, 166, 196; D11/164, 78.1

CPC D06F 55/00; A44D 2203/00; A61B
17/0664; A61B 17/04; A61B 17/1265; A43D
79/00; A41B 3/08; A41F 15/02; A62F 2/0063

See application file for complete search history.

Primary Examiner — John Windmuller

Assistant Examiner — John R Yeh

(74) *Attorney, Agent, or Firm* — Novak Druce Connolly
Bove + Quigg LLP

(57) **CLAIM**

I claim the ornamental design for an adjustable-length clamping device, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D176,976 S * 2/1956 Crook D25/68
D271,939 S * 12/1983 Little D8/73
D274,601 S * 7/1984 Helmle D8/380
D294,702 S * 3/1988 Yoder D14/238
D339,782 S * 9/1993 Yoder D12/223
D376,974 S * 12/1996 Chen D8/396
D381,894 S * 8/1997 Lun D8/396
D382,471 S * 8/1997 Neff D8/394
D399,729 S * 10/1998 Chen D8/395
D470,400 S * 2/2003 Fraser et al. D8/396
D479,787 S * 9/2003 Degen D8/72
D484,400 S * 12/2003 Blake et al. D8/394
D485,481 S * 1/2004 Wolff D8/72
D515,386 S * 2/2006 Noniewicz et al. D8/72

(Continued)

DESCRIPTION

FIG. 1 is a perspective view of an adjustable-length clamping device;
FIG. 2 is a right-side elevational view thereof;
FIG. 3 is a left-side elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a rear-side elevational view thereof; and,
FIG. 7 is a front-side elevational view thereof.
Broken lines are used to illustrate unclaimed portions of the adjustable-length clamping device; broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

D536,607 S * 2/2007 Bekkevold D8/396
D543,821 S * 6/2007 Ranieri D8/73
D544,328 S * 6/2007 Ranieri D8/72
D562,677 S * 2/2008 Farber et al. D8/396
D605,123 S * 12/2009 Bizzell D13/139.1
D605,124 S * 12/2009 Bizzell D13/139.1
D605,125 S * 12/2009 Bizzell D13/139.1
D664,031 S * 7/2012 Kleiber, Jr. D8/394
D700,835 S * 3/2014 Langlois et al. D8/396

FOREIGN PATENT DOCUMENTS

CN 301852094 * 3/2012
CN 302008136 * 7/2012

DH Gate Adjustable Magic Arm +Super Clamp Mount Kit, wesite
copyright 2015, online, site visited May 13, 2015, <http://www.dhgate.com/product/11-quot-adjustable-magic-arm-super-clamp/162115110.html?recinfo=8,1,1#cppd-1-5\null:1>.
Clide Gear Adjustble Pole Clamp, website copyright 2015, online,
<http://www.glidegear.net/product/glide-gear-adjustable-pole-clamp/>, [site visited May 13, 2015 7:29:39 PM].*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7