



US00D736107S

(12) **United States Design Patent**  
**Lee**

(10) **Patent No.:** **US D736,107 S**  
(45) **Date of Patent:** **\*\* Aug. 11, 2015**

(54) **PHYSIOLOGICAL SENSOR POD**  
(71) Applicant: **Salutron, Inc.**, Fremont, CA (US)  
(72) Inventor: **Yong Jin Lee**, Palo Alto, CA (US)  
(73) Assignee: **SALUTRON, INC.**, Fremont, CA (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/504,193**  
(22) Filed: **Oct. 2, 2014**  
(51) **LOC (10) Cl.** ..... **10-04**  
(52) **U.S. Cl.**  
USPC ..... **D10/70**  
(58) **Field of Classification Search**  
USPC ..... D10/30–39, 65, 70, 97, 98, 122–124,  
D10/126, 128; D11/3, 79–81, 85;  
D14/138 R, 203.5, 203.6, 341, 344,  
D14/347; D24/167, 168  
CPC ..... A44C 5/00–5/16; G04B 37/00–37/228;  
G04B 45/0069; G04B 47/04; G04B  
19/00–19/34; G04B 21/12; G04B 23/12;  
G04B 47/00–47/068; G01C 17/00; G01C  
21/00–21/3697  
See application file for complete search history.

8,051,721 B2 \* 11/2011 Amir ..... 73/856  
8,094,013 B1 \* 1/2012 Lee et al. .... 340/539.15  
D659,037 S \* 5/2012 Madsen et al. .... D10/65  
8,200,320 B2 \* 6/2012 Kovacs ..... 600/513  
D672,667 S \* 12/2012 Mix ..... D10/65  
8,758,172 B2 \* 6/2014 Creguer ..... 473/422  
D714,664 S \* 10/2014 Naughton et al. .... D10/53  
D714,665 S \* 10/2014 Naughton et al. .... D10/53  
D717,680 S \* 11/2014 Park et al. .... D10/98  
D718,157 S \* 11/2014 Naughton et al. .... D10/53  
D724,970 S \* 3/2015 Hasegawa et al. .... D10/70  
D726,567 S \* 4/2015 De Jong et al. .... D10/98

**OTHER PUBLICATIONS**

4iiii Innovations Inc., “Viiiiva + Viva Mini” retrieved on Sep. 24, 2014, <http://4iiii.com/wp-content/uploads/2014/09/vivamini.pdf>.  
4iiii Innovations Inc., “Stride” retrieved on Sep. 24, 2014, <http://4iiii.com/product/stride/>.  
4iiii Innovations Inc., “Sidekick” retrieved on Sep. 24, 2014, <http://4iiii.com/wp-content/uploads/2014/09/sidekick.pdf>.

\* cited by examiner

*Primary Examiner* — Antoine D Davis  
(74) *Attorney, Agent, or Firm* — Vierra Magen Marcus LLP

(57) **CLAIM**  
The ornamental design for a physiological sensor pod, as shown and described.


(56) **References Cited**  
**U.S. PATENT DOCUMENTS**


6,587,714 B2 \* 7/2003 Tanida ..... 600/547  
D534,889 S \* 1/2007 Cheng ..... D14/138 R  
D557,624 S \* 12/2007 Coster et al. .... D10/70  
D563,252 S 3/2008 Minta  
7,431,695 B1 \* 10/2008 Creaghan ..... 600/249  
D591,739 S \* 5/2009 Matsuoka ..... D14/341  
D596,514 S \* 7/2009 Luzar et al. .... D10/65  
D619,117 S \* 7/2010 Unruh ..... D14/203.6  
D621,399 S \* 8/2010 Ahlstrom ..... D14/344  
D631,053 S \* 1/2011 Bailey ..... D14/480.1

**DESCRIPTION**


FIG. 1 is a perspective view of my new design for a physiological sensor pod;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**