



US00D736107S

(12) **United States Design Patent**
Lee

(10) **Patent No.:** **US D736,107 S**
(45) **Date of Patent:** **** Aug. 11, 2015**

(54) **PHYSIOLOGICAL SENSOR POD**
(71) Applicant: **Salutron, Inc.**, Fremont, CA (US)
(72) Inventor: **Yong Jin Lee**, Palo Alto, CA (US)
(73) Assignee: **SALUTRON, INC.**, Fremont, CA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/504,193**
(22) Filed: **Oct. 2, 2014**
(51) **LOC (10) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/70**
(58) **Field of Classification Search**
USPC D10/30–39, 65, 70, 97, 98, 122–124,
D10/126, 128; D11/3, 79–81, 85;
D14/138 R, 203.5, 203.6, 341, 344,
D14/347; D24/167, 168
CPC A44C 5/00–5/16; G04B 37/00–37/228;
G04B 45/0069; G04B 47/04; G04B
19/00–19/34; G04B 21/12; G04B 23/12;
G04B 47/00–47/068; G01C 17/00; G01C
21/00–21/3697
See application file for complete search history.

8,051,721 B2 * 11/2011 Amir 73/856
8,094,013 B1 * 1/2012 Lee et al. 340/539.15
D659,037 S * 5/2012 Madsen et al. D10/65
8,200,320 B2 * 6/2012 Kovacs 600/513
D672,667 S * 12/2012 Mix D10/65
8,758,172 B2 * 6/2014 Creguer 473/422
D714,664 S * 10/2014 Naughton et al. D10/53
D714,665 S * 10/2014 Naughton et al. D10/53
D717,680 S * 11/2014 Park et al. D10/98
D718,157 S * 11/2014 Naughton et al. D10/53
D724,970 S * 3/2015 Hasegawa et al. D10/70
D726,567 S * 4/2015 De Jong et al. D10/98

OTHER PUBLICATIONS

4iiii Innovations Inc., “Viiiiva + Viva Mini” retrieved on Sep. 24, 2014, <http://4iiii.com/wp-content/uploads/2014/09/vivamini.pdf>.
4iiii Innovations Inc., “Stride” retrieved on Sep. 24, 2014, <http://4iiii.com/product/stride/>.
4iiii Innovations Inc., “Sidekick” retrieved on Sep. 24, 2014, <http://4iiii.com/wp-content/uploads/2014/09/sidekick.pdf>.

* cited by examiner

Primary Examiner — Antoine D Davis
(74) *Attorney, Agent, or Firm* — Vierra Magen Marcus LLP

(57) **CLAIM**
The ornamental design for a physiological sensor pod, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

6,587,714 B2 * 7/2003 Tanida 600/547
D534,889 S * 1/2007 Cheng D14/138 R
D557,624 S * 12/2007 Coster et al. D10/70
D563,252 S 3/2008 Minta
7,431,695 B1 * 10/2008 Creaghan 600/249
D591,739 S * 5/2009 Matsuoka D14/341
D596,514 S * 7/2009 Luzar et al. D10/65
D619,117 S * 7/2010 Unruh D14/203.6
D621,399 S * 8/2010 Ahlstrom D14/344
D631,053 S * 1/2011 Bailey D14/480.1

DESCRIPTION

FIG. 1 is a perspective view of my new design for a physiological sensor pod;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7