

US00D736144S

(12) **United States Design Patent**  
**Ebel et al.**

(10) **Patent No.:** **US D736,144 S**

(45) **Date of Patent:** **\*\* Aug. 11, 2015**

(54) **TIRE TREAD**

(71) Applicants: **Compagnie Generale des Etablissements Michelin**, Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(72) Inventors: **Benjamin E. Ebel**, Greenville, SC (US); **Derick Lonell Harris**, Charlotte, NC (US)

(73) Assignees: **MICHELIN RECHERCHE et TECHNIQUE S.A.**, Granges-Paccot (CH); **COMPAGNIE GENERALE DES ETABLISSEMENTS MICHELIN**, Clermont-Ferrand (FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/461,979**

(22) Filed: **Jul. 30, 2013**

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/588**

(58) **Field of Classification Search**  
USPC ..... D12/533-567; 152/209.1-209.28, 455, 152/158, 192  
CPC ..... B60C 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D310,648 S \* 9/1990 Armellin ..... D12/577  
D426,178 S 6/2000 Weber et al.  
D427,551 S 7/2000 Weber  
D458,897 S 6/2002 Weber et al.

D464,614 S 10/2002 Irimiya  
D483,006 S 12/2003 Brayer et al.  
D555,081 S 11/2007 Feider et al.  
D639,235 S \* 6/2011 Reim et al. .... D12/600  
D640,967 S \* 7/2011 Ohashi ..... D12/580  
D647,841 S 11/2011 Ebel et al.  
D668,208 S 10/2012 Brown et al.  
D668,601 S \* 10/2012 Brown et al. .... D12/588  
D680,058 S 4/2013 Takei  
D701,487 S \* 3/2014 Ebel et al. .... D12/588

**OTHER PUBLICATIONS**

Michelin Primary MXV4 Tire, www.michelinman.com, at least as early as May 11, 2010, 4 pages.

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;

FIG. 2 is a front elevation view thereof; and, FIG. 3 is a side elevation view of the right side thereof, the left side elevation being identical thereto.

In the drawings, the recessed groove portions of the tire tread having a depth is best illustrated along the top and bottom edges of FIG. 2. In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts environmental structure and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**








Fig. 1






Fig. 2






Fig. 3