



US00D736261S

(12) **United States Design Patent**  
**Bellinger et al.**

(10) **Patent No.:** **US D736,261 S**

(45) **Date of Patent:** **\*\* Aug. 11, 2015**

(54) **SHROUD**

(71) Applicant: **CUMMINS INC.**, Columbus, IN (US)

(72) Inventors: **Steven M. Bellinger**, Columbus, IN (US); **Jae Hee Lee**, Columbus, IN (US); **Richard D. Mason**, Columbus, IN (US); **Mathew A. Clark**, Darlington (GB); **Nathaniel P. Hassall**, Thirsk (GB)

(73) Assignee: **Cummins Inc.**, Columbus, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/438,428**

(22) Filed: **Nov. 29, 2012**

(51) **LOC (10) Cl.** ..... **15-01**

(52) **U.S. Cl.**  
USPC ..... **D15/5**; D15/28; D23/411

(58) **Field of Classification Search**  
USPC ..... D15/5, 128, 10, 17, 28, 199; 415/173.1, 415/215.1, 213.1, 126, 127, 214.1, 223, 415/244 R, 247 R, 173.7; 180/68.6, 68.4; 123/41, 49, 41.7; 165/122, 51; D23/411, 412, 414, 386, 324, 382; D12/196, 197, 216; 29/4; D13/182  
CPC ..... F01P 9/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,858,644	A *	1/1975	Beck et al.	165/51
4,180,130	A *	12/1979	Beck et al.	165/124
D491,963	S *	6/2004	Doba	D15/144
6,827,547	B2 *	12/2004	Robb	415/1
D556,704	S *	12/2007	Nakamura et al.	D13/182
D559,993	S *	1/2008	Nagakubo et al.	D24/232
D588,078	S *	3/2009	Okada et al.	D13/182
D595,835	S *	7/2009	Fu	D23/411

D600,722	S *	9/2009	Yabe et al.	D15/28
D605,206	S *	12/2009	Yabe et al.	D15/28
D620,031	S *	7/2010	Yabe et al.	D15/28
D625,404	S *	10/2010	Yu	D23/386
D649,986	S *	12/2011	Fujikata et al.	D15/138
D675,724	S *	2/2013	Kelly	D23/400
D706,908	S *	6/2014	Knapp	D23/269
D711,331	S *	8/2014	Lau et al.	D13/182
2004/0146400	A1 *	7/2004	Robb	415/211.2
2006/0272800	A1 *	12/2006	Wong et al.	165/120
2009/0220334	A1 *	9/2009	Vousche	415/119
2011/0067845	A1 *	3/2011	Bishop	165/121
2013/0183140	A1 *	7/2013	Kappelman	415/116
2014/0026833	A1 *	1/2014	Jensen et al.	123/41.49
2014/0147257	A1 *	5/2014	Sasinowski et al.	415/173.7
2014/0271144	A1 *	9/2014	Landwehr et al.	415/173.1

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Ania Aman

(74) *Attorney, Agent, or Firm* — Faegre Baker Daniels LLP


(57) **CLAIM**

The ornamental design for a shroud, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side frontal perspective view of the shroud positioned on an engine;  
FIG. 2 is a left side rear perspective view of the shroud positioned on an engine;  
FIG. 3 is a top view of the shroud positioned on an engine;  
FIG. 4 is a bottom view of the shroud positioned on an engine;  
FIG. 5 is a right side view of the shroud positioned on an engine;  
FIG. 6 is a left side view of the shroud positioned on an engine;  
FIG. 7 is a front view of the shroud; and,  
FIG. 8 is a rear view of the shroud.  
The broken line portions of the disclosure are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6






FIG. 7






FIG. 8