



US00D736394S

(12) **United States Design Patent**
Owoc

(10) **Patent No.:** **US D736,394 S**

(45) **Date of Patent:** **** Aug. 11, 2015**

- (54) **ANTI-WRINKLE HEADBAND**
- (71) Applicant: **Victor Owoc**, Cooper City, FL (US)
- (72) Inventor: **Victor Owoc**, Cooper City, FL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/470,640**
- (22) Filed: **Oct. 23, 2013**

D465,234	S	*	11/2002	Gordon	D16/301
D475,140	S	*	5/2003	Anderson	D24/191
D489,749	S	*	5/2004	Landvik	D16/301
D582,635	S	*	12/2008	Halley-Schamp	D2/881
D624,730	S	*	10/2010	Domazetovska	D2/875
D637,758	S	*	5/2011	Roman	D28/9
8,109,964	B2	*	2/2012	Payne	606/204.25
2005/0037688	A1	*	2/2005	Russell	450/54
2006/0278252	A1	*	12/2006	Miller	132/274
2009/0271904	A1	*	11/2009	Bentley	2/15
2012/0144590	A1	*	6/2012	Sharp	5/639
2012/0308619	A1	*	12/2012	Tousley	424/401
2013/0131613	A1	*	5/2013	Elkins	604/303

Related U.S. Application Data

- (63) Continuation-in-part of application No. 13/868,841, filed on Apr. 23, 2013.
- (51) **LOC (10) CL.** **24-04**
- (52) **U.S. CL.**
USPC **D24/190**; D2/894
- (58) **Field of Classification Search**
USPC D24/189, 190, 191, 206; D2/875, 877,
D2/881, 894; 2/9, 15, 181, 410, 412;
606/204
CPC A61F 9/029; A61F 9/04; A61F 9/06;
A61F 7/02; A61F 9/026; A61F 13/124;
A61F 2007/0003; A61F 2007/0004; A61F
2013/00387; A61F 2013/00502; A61F 9/027;
A41D 13/1184; A41D 13/11; A41D 23/00;
A45D 44/12; A45D 40/30
See application file for complete search history.

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Ted W. Whitlock

(57) **CLAIM**

The ornamental design for an anti-wrinkle headband, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an anti-wrinkle headband article embodying my design.

FIG. 2 is a back perspective view, thereof;

FIG. 3 is a front plan view, thereof;

FIG. 4 is a back plan view, thereof;

FIG. 5 is a top elevational view, thereof;

FIG. 6 is a bottom elevational view, thereof;

FIG. 7 is a side elevational view the opposite side being a mirror image thereof;

FIG. 8 is a front view thereof, shown in position of use;

FIG. 9 is a back view thereof, shown in position of use; and,

FIG. 10 is a side perspective view thereof, shown in position of use.


The broken lines showing a human form in FIGS. 8-10 are for the purposes of illustrating environment and form no part of the claimed design.

1 Claim, 5 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,532	S	*	3/1981	Wagner	D24/189
5,178,139	A	*	1/1993	Angelillo et al.	607/114
D347,311	S	*	5/1994	Butler	D2/871
D347,897	S	*	6/1994	Kudrow et al.	D24/206
5,331,686	A	*	7/1994	Marshall	2/181
5,423,091	A	*	6/1995	Lange	2/181
D413,710	S	*	9/1999	De Rugeriis	D2/894
6,438,761	B1	*	8/2002	McGarrity	2/410






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10