

US00D736491S

(12) **United States Design Patent**  
**McDonald**

(10) **Patent No.:** **US D736,491 S**

(45) **Date of Patent:** **\*\* Aug. 18, 2015**

(54) **CONVERTIBLE GLOVE WITH A HEATED UPPER PORTION**

(71) Applicant: **Carl McDonald**, Tilton, IL (US)

(72) Inventor: **Carl McDonald**, Tilton, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/439,671**

(22) Filed: **Dec. 13, 2012**

(51) **LOC (10) Cl.** ..... **02-06**

(52) **U.S. Cl.**  
USPC ..... **D2/622**

(58) **Field of Classification Search**  
USPC ..... D2/610, 611, 612, 613, 614, 615, 616,  
D2/617, 618, 619, 620, 621, 623, 622;  
D21/807; D29/113, 117.1, 114, 118;  
2/20, 158, 159, 160, 917, 910  
CPC ... A41D 19/00; A41D 19/0055; A41D 19/01;  
A41D 19/015; A41D 19/01535; A41F 1/06  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,435,890	A *	2/1948	Lembeck	.....	2/158
2,675,798	A *	4/1954	Rosmarin	.....	126/204
3,632,966	A *	1/1972	Arron	.....	219/211
4,087,675	A *	5/1978	Sansonetti	.....	604/292
4,543,671	A *	10/1985	Monk	.....	2/158
4,813,082	A *	3/1989	Kallman	.....	2/158
D372,578	S *	8/1996	Chapman	.....	D29/113
D396,936	S *	8/1998	Liss-Daniels	.....	D2/610
D410,956	S *	6/1999	Adams Zurawin	.....	D29/113
D562,502	S *	2/2008	Van Trojen	.....	D29/120.1
D569,556	S *	5/2008	Cooper et al.	.....	D29/117.1
D610,776	S *	3/2010	Walker	.....	D2/622
D640,856	S *	7/2011	Rose	.....	D2/614
D651,408	S *	1/2012	Farkas	.....	D4/116
D652,609	S *	1/2012	Walker	.....	D2/621

D705,493	S *	5/2014	Steinberg et al.	.....	D29/117.2
D707,883	S *	6/2014	Pflungfelder	.....	D28/7
2010/0192277	A1 *	8/2010	Powell	.....	2/160

\* cited by examiner

*Primary Examiner* — Karen E. Eldridge Powers

*Assistant Examiner* — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Gulf Coast Intellectual Property Group

(57) **CLAIM**

The ornamental design for a convertible glove with heated upper portion, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the convertible glove with a heated upper portion wherein the heated upper portion is secured over the finger stalls; and

FIG. 2 is a bottom plan view of the convertible glove with a heated upper portion wherein the heated upper portion is secured over the finger stalls; and

FIG. 3 is a top plan view of the convertible glove with a heated upper portion wherein the heated upper portion is pulled back from the finger stalls; and

FIG. 4 is a bottom plan view of the convertible glove with a heated upper portion wherein the heated upper portion is pulled back from the finger stalls; and



FIG. 5 is a left side elevation view of the convertible glove with a heated upper portion wherein the heated upper portion is pulled back from the finger stalls; and

FIG. 6 is a right side elevation view of the convertible glove with a heated upper portion wherein the heated upper portion is pulled back from the finger stalls; and,

FIG. 7 is an enlarged detail view of a portion of the top plan view of FIG. 3; and

Wherein the broken lines illustrate environmental subject matter that forms no part of the claimed design and the outermost broken-line circle shown in both FIGS. 3 and 7 illustrates the bounds of the detail shown enlarged in FIG. 7.

**1 Claim, 4 Drawing Sheets**






FIG. 2




FIG. 1




FIG. 4




FIG. 3






FIG. 6




FIG. 5




FIG. 7