

US00D736690S

(12) **United States Design Patent**
Bennett

(10) **Patent No.:** **US D736,690 S**
(45) **Date of Patent:** **** Aug. 18, 2015**

(54) **COMBINATION ROOF RACK AND
REMOVABLE SOFT TOP**

7,828,364 B2 11/2010 Causey
D651,678 S * 1/2012 Muggleton D21/834
2012/0193380 A1 8/2012 McMurtrie

(71) Applicant: **Omix-Ada, Inc.**, Suwanee, GA (US)

OTHER PUBLICATIONS

(72) Inventor: **Patrick W. Bennett**, Gainesville, GA
(US)

Attached Photographs 1-6.

(73) Assignee: **Omix-Ada, Inc.**, Suwanee, GA (US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Katrina A Betton

(21) Appl. No.: **29/502,101**

(74) *Attorney, Agent, or Firm* — Womble Carlyle Sandridge
& Rice LLP

(22) Filed: **Sep. 11, 2014**

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/401**

(58) **Field of Classification Search**
USPC D12/401–405; 160/370.12, 370.22,
160/370.23; 280/770; 150/158, 165–167;
296/100.11–100.18, 136.01, 136.05,
296/136.06, 136.07, 95.1, 77.1; 135/88.01,
135/95

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D215,393 S *	9/1969	Stith, Jr.	D12/402
D262,790 S *	1/1982	Bernier	D12/222
D310,503 S *	9/1990	Moore	D12/403
D318,446 S *	7/1991	Magyar et al.	D12/403
D352,690 S *	11/1994	Schorr	D12/403
5,381,939 A	1/1995	Tippets	
5,492,259 A	2/1996	Tippets	
D382,248 S *	8/1997	Long	D12/403
D397,669 S *	9/1998	Komick	D12/403
6,068,168 A	5/2000	Kreiser	
D434,718 S	12/2000	Kreiser	
D445,396 S *	7/2001	Wood	D12/403
D516,497 S *	3/2006	Napieraj	D12/403
D583,746 S *	12/2008	Napieraj	D12/403
D583,747 S *	12/2008	Napieraj	D12/403

(57) **CLAIM**

The ornamental design for a combination roof rack and removable soft top, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a combination roof rack and removable soft top shown attached around the passenger compartment of a vehicle, in accordance with my invention. FIG. 2 is a right side view of the combination roof rack and removable soft top of FIG. 1.

FIG. 3 is a left side view of the combination roof rack and removable soft top of FIG. 1.

FIG. 4 is a front view of the combination roof rack and removable soft top of FIG. 1.

FIG. 5 is a back view of the combination roof rack and removable soft top of FIG. 1.


FIG. 6 is a top view of the combination roof rack and removable soft top of FIG. 1.

FIG. 7 is a bottom view of the combination roof rack and removable soft top of FIG. 1 in isolation; and,

FIG. 8 is a back side view of the combination roof rack and removable soft top of FIG. 1 in isolation.

The broken lines illustrate a vehicle to which the combination roof rack and removable soft top may be mounted, as well as attachment means for securing the soft top to the roof rack. The vehicle and the attachment means form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8