



US00D736700S

(12) **United States Design Patent**  
**Frappart**

(10) **Patent No.:** **US D736,700 S**

(45) **Date of Patent:** **\*\* Aug. 18, 2015**

(54) **SURFACE DESIGN FOR A PNEUMATIC TIRE**

(56)

**References Cited**

(71) Applicant: **Arnaud Frappart**, Clermont-Ferrand (FR)

(72) Inventor: **Arnaud Frappart**, Clermont-Ferrand (FR)

(73) Assignees: **COMPAGNIE GENERALE DES ETABLISSEMENTS MICHELIN** (FR); **MICHELIN RECHERCHE ET TECHNIQUE S.A.** (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/477,256**

(22) Filed: **Dec. 20, 2013**

(30) **Foreign Application Priority Data**

Jun. 21, 2013 (EM) ..... 002260471-0001

(51) **LOC (10) Cl.** ..... **12-05**

(52) **U.S. Cl.**  
USPC ..... **D12/605; D5/30**

(58) **Field of Classification Search**

USPC ..... D12/504, 604, 605; D5/30, 59, 60, 61, D5/62; D7/588, 396.4, 396.5; D24/124, D24/125, 126; D25/100, 101, 109, 138; D2/952

CPC ..... B60C 13/00; B60C 13/001; B60C 13/02; B60C 1/0025; D04H 11/00; D04H 11/04; D04H 11/08

See application file for complete search history.

U.S. PATENT DOCUMENTS

D44,854	S	*	11/1913	Morris	.....	D12/504
D44,855	S	*	11/1913	Morris	.....	D12/504
D46,439	S	*	9/1914	Marshall	.....	D12/504
D47,892	S	*	9/1915	Hauvette-Michelin	.....	D12/504
D47,963	S	*	10/1915	Mooney	.....	D12/504
D48,690	S	*	3/1916	McGraw	.....	D12/504
D58,018	S	*	5/1921	Campbell	.....	D12/504
D63,022	S	*	9/1923	Black	.....	D12/504
D96,584	S	*	8/1935	Baronio	.....	D5/30
D104,558	S	*	5/1937	Carter	.....	D5/61
D154,950	S	*	8/1949	Ortner	.....	D5/60
4,842,921	A	*	6/1989	Sorko-Ram	.....	428/187
D461,643	S	*	8/2002	Missoni	.....	D5/59
D498,931	S	*	11/2004	Delaney et al.	.....	D5/53
D556,463	S	*	12/2007	Bridges et al.	.....	D5/53
D572,018	S	*	7/2008	Bridges et al.	.....	D5/53
D611,256	S	*	3/2010	Brusa	.....	D5/61
D631,262	S	*	1/2011	Evans	.....	D5/56

\* cited by examiner

Primary Examiner — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**


The ornamental design for a surface design for a pneumatic tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a view of the lateral surface of a pneumatic tire with the ornamental surface design in an environment of use; and, FIG. 2 is a detailed view of the ornamental surface design of FIG. 1.

The broken line perimeter structure that is shown in FIGS. 1 and 2 surrounding the design indicates the boundaries of the claim and forms no part of the claimed design. The additional broken lines in FIG. 1 represent environmental subject matter and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2