

US00D736718S

(12) **United States Design Patent**
Spira

(10) **Patent No.:** **US D736,718 S**
(45) **Date of Patent:** **** Aug. 18, 2015**

(54) **LOAD CONTROL DEVICE**

(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(72) Inventor: **Joel S. Spira**, Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/488,264**

(22) Filed: **Apr. 17, 2014**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/164**; D13/171

(58) **Field of Classification Search**

USPC D13/162, 164, 171

CPC H01H 3/12; H01H 9/02; H01H 9/16;

H01H 9/18; H01H 9/181; H01H 9/182;

H01H 13/04; H01H 13/14; H01H 2009/187;

H05B 33/0803; H05B 33/0863; H05B 37/02;

H05B 37/0254; H05B 37/0272; H05B 39/02;

H05B 39/04; H05B 39/085; H05B 39/086;

H05B 39/088

See application file for complete search history.

D704,153 S 5/2014 Altonen et al.
D711,838 S * 8/2014 Spira D13/164
D713,360 S 9/2014 Spira
D713,361 S 9/2014 Spira
2009/0251352 A1 * 10/2009 Altonen et al. 341/176

OTHER PUBLICATIONS

U.S. Appl. No. 29/484,421, filed Mar. 10, 2014, Altonen et al.

U.S. Appl. No. 29/488,253, filed Apr. 17, 2014, Altonen et al.

U.S. Appl. No. 29/488,247, filed Apr. 17, 2014, Altonen et al.

U.S. Appl. No. 29/488,242, filed Apr. 17, 2014, Altonen et al.

U.S. Appl. No. 29/488,250, filed Apr. 17, 2014, Altonen et al.

U.S. Appl. No. 29/488,265, filed Apr. 17, 2014, Joel S. Spira.

U.S. Appl. No. 29/488,263, filed Apr. 17, 2014, Joel S. Spira.

U.S. Appl. No. 29/488,260, filed Apr. 17, 2014, Joel S. Spira.

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith

(57)

CLAIM

The ornamental design for a load control device, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,120,262 A * 9/2000 McDonough et al. 417/424.1
D537,046 S * 2/2007 Blair et al. D13/162
D543,951 S * 6/2007 Blair et al. D13/162
7,312,695 B2 * 12/2007 Lehmer et al. 340/426.15
D592,606 S 5/2009 Felegy, Jr. et al.
D592,607 S 5/2009 Felegy, Jr. et al.
D596,143 S * 7/2009 Felegy et al. D13/171
D606,030 S * 12/2009 Felegy et al. D13/171
D611,431 S 3/2010 Snyder et al.
D631,854 S 2/2011 Blair et al.
D636,347 S * 4/2011 Felegy et al. D13/162
D646,232 S 10/2011 Felegy, Jr. et al.
D649,123 S * 11/2011 Jacoby et al. D13/164
D661,664 S 6/2012 Felegy, Jr. et al.
D703,623 S * 4/2014 Altonen et al. D13/164
D704,152 S 5/2014 Altonen et al.

DESCRIPTION

FIG. 1 is a perspective view of a load control device according to a first embodiment of my new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.


FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a load control device according to a second embodiment of my new design; and,

FIG. 8 is a front view thereof, the left side, right side, top, and bottom views, respectively, of the second embodiment being identical to the left side, right side, top, and bottom views of the first embodiment.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8