



US00D737048S

(12) **United States Design Patent**  
**Sekula et al.**

(10) **Patent No.:** **US D737,048 S**

(45) **Date of Patent:** **\*\* Aug. 25, 2015**

(54) **FLEXIBLE DEVICE-HOLDING BAND**

D702,315 S \* 4/2014 Partrat ..... D22/122  
D718,522 S \* 12/2014 Larsen ..... D3/215

(71) Applicant: **Airpressure Bodyforming GmbH**,  
Berchtesgaden (DE)

\* cited by examiner

(72) Inventors: **Oliver Sekula**, Berchtesgaden (DE);  
**Hubert Greinwalder**, München (DE);  
**Gert Rechenmacher**, Kapfenberg (AT)

*Primary Examiner* — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Thomas B. Ryan; Harter  
Secrest & Emery LLP

(73) Assignee: **Airpressure Bodyforming GmbH** (DE)

(57) **CLAIM**

The ornamental design for a flexible device holding band, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/462,242**

(22) Filed: **Jul. 31, 2013**

(30) **Foreign Application Priority Data**

Jan. 31, 2013 (EM) ..... 002176305-0003  
Jan. 31, 2013 (EM) ..... 002176305-0004  
Jan. 31, 2013 (EM) ..... 002176305-0006

FIG. 1 is a front perspective view of a first embodiment of the flexible device-holding band showing the present design. FIG. 2 is a rear perspective view of the first embodiment thereof.

FIG. 3 is a side elevational view of the first embodiment thereof, wherein the opposite side elevational view is identical;

FIG. 4 is a front perspective view of a second embodiment of the flexible band distinguished by the addition of a vertically opening pocket on the front surface of the flexible band, wherein the rear perspective view of the second embodiment remains identical to the view of FIG. 2.

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/224**

FIG. 5 is an enlarged front perspective view of the vertically opening pocket.

FIG. 6 is an enlarged rear perspective view of the vertically opening pocket.

(58) **Field of Classification Search**

USPC ..... D3/215, 221, 224, 226, 228; 224/219,  
224/222, 267, 269, 581, 646, 664  
See application file for complete search history.

FIG. 7 is a lower side elevational view of the second embodiment thereof; and,

FIG. 8 is an upper side elevational view of the second embodiment thereof.


The broken lines shown on the drawings represent top stitching.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D257,409 S \* 10/1980 Kishbaugh et al. .... D3/224  
D505,787 S \* 6/2005 Vaughn ..... D3/224  
D610,799 S \* 3/2010 Masse ..... D3/224

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8