



US00D737450S

(12) **United States Design Patent**
Abelson

(10) **Patent No.:** **US D737,450 S**

(45) **Date of Patent:** **** Aug. 25, 2015**

(54) **CONTOURED EYECUP FOR A PORTABLE OPTHALMOSCOPE**

D617,894 S * 6/2010 Wright D24/121
RE41,854 E * 10/2010 Rashid D34/1
D647,140 S * 10/2011 Ray D19/73

(71) Applicant: **Ora, Inc.**, Andover, MA (US)

* cited by examiner

(72) Inventor: **Richard Abelson**, Gilbert, AZ (US)

Primary Examiner — Holly Baynham

(73) Assignee: **Ora, Inc.**, Andover, MA (US)

Assistant Examiner — Rhea Shields

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — McCarter & English, LLP;
Jonathan M. Sparks; Timothy Homlish

(21) Appl. No.: **29/477,540**

(57) **CLAIM**

The ornamental design for a contoured eyecup for a portable ophthalmoscope, as shown and described.

(22) Filed: **Dec. 23, 2013**

DESCRIPTION

(51) **LOC (10) Cl.** **24-00**

(52) **U.S. Cl.**
USPC **D24/172**

(58) **Field of Classification Search**
USPC D24/172, 115, 120, 190, 121; 604/295,
604/298, 301; D7/533, 503; D11/164;
D34/1; D19/73

See application file for complete search history.

FIG. 1 is a top perspective view of a contoured eyecup for a portable ophthalmoscope showing the contoured eyecup for a portable ophthalmoscope placed over a patient's eye;

FIG. 2 is a bottom perspective view of the contoured eyecup for a portable ophthalmoscope showing the contoured eyecup for a portable ophthalmoscope placed over a patient's eye;

FIG. 3 is a right side view of the contoured eyecup for a portable ophthalmoscope showing the contoured eyecup for a portable ophthalmoscope engaged with a portable ophthalmoscope and placed over a patient's eye;

FIG. 4 is a top view of the contoured eyecup for a portable ophthalmoscope showing the contoured eyecup for a portable ophthalmoscope engaged with a portable ophthalmoscope and placed over a patient's eye;

FIG. 5 is a top view of the contoured eyecup for a portable ophthalmoscope shown in FIG. 1;

FIG. 6 is a bottom view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a left side view thereof;

FIG. 9 is a rear view thereof; and,

FIG. 10 is a front view thereof.


In the drawings, the broken lines depict unclaimed subject matter only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,231,112	A *	2/1941	Conner	604/295
2,278,326	A *	3/1942	Leonard	604/295
2,320,070	A *	5/1943	Derham et al.	604/295
2,375,636	A *	5/1945	Eddins	604/295
3,016,898	A *	1/1962	Erwin	604/298
4,111,200	A *	9/1978	Sbarra et al.	604/298
D293,474	S *	12/1987	Jermyn	D24/115
5,007,905	A *	4/1991	Bauer	604/295
5,382,243	A *	1/1995	Mulholland	604/301
D359,883	S *	7/1995	Suarez	D7/533
D403,399	S *	12/1998	Montgomery et al.	D24/120
D417,818	S *	12/1999	Lillelund et al.	D7/503
D442,693	S *	5/2001	Sternberg et al.	D24/190
D502,771	S *	3/2005	Al Amri	D24/120
D538,708	S *	3/2007	Sellers et al.	D11/164
7,278,999	B2 *	10/2007	Danchin et al.	606/166

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10