

US00D737479S

(12) **United States Design Patent**
Oonaka et al.

(10) **Patent No.:** **US D737,479 S**

(45) **Date of Patent:** **** Aug. 25, 2015**

(54) **LED BULB**

(71) Applicant: **mitsubishi chemical**
corporation, Chiyoda-ku (JP)

(72) Inventors: **Shuuji Oonaka**, Chiyoda-ku (JP); **Jouji Kondou**, Chiyoda-ku (JP)

(73) Assignee: **mitsubishi chemical**
corporation, Chiyoda-ku (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/489,363**

(22) Filed: **Apr. 29, 2014**

(51) **LOC (10) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/4**

(58) **Field of Classification Search**
USPC D26/1-4; 313/313, 315, 316, 317, 318,
313/493; 315/52, 53, 56, 57, 58

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D597,228 S *	7/2009	Chang	D26/4
D645,170 S *	9/2011	Parker et al.	D26/4
D647,647 S *	10/2011	Parker et al.	D26/4
D668,368 S *	10/2012	Lu et al.	D26/4

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for an LED bulb, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a LED bulb showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom view thereof.

The dot-dash broken lines means the boundary of the claimed design. The different shading techniques used depict a contrast of appearance only and does not represent a particular color, material, or texture.

1 Claim, 6 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

