

US00D737490S

(12) **United States Design Patent**
Tompkin

(10) **Patent No.:** **US D737,490 S**

(45) **Date of Patent:** **** Aug. 25, 2015**

(54) **FLASHLIGHT HEAD**

(71) Applicant: **MerchSource, LLC**, Foothill Ranch, CA (US)

(72) Inventor: **Crispian Tompkin**, Los Angeles, CA (US)

(73) Assignee: **MerchSource, LLC**, Irvine, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/435,266**

(22) Filed: **Oct. 22, 2012**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/46; D26/44**

(58) **Field of Classification Search**
USPC D26/37, 38, 40, 41, 44, 45, 46, 49;
362/157, 158, 183, 184, 171-174,
362/194-196, 200-208
CPC F21L 2/00; F21L 4/00; F21L 4/005;
F21L 17/00; F21L 13/08; F21Y 2101/00;
F21V 21/30; F21V 21/406; F21W 2131/406;
F21W 2131/407
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,447,863	A	5/1984	Fenne	
5,142,467	A	8/1992	Yuen	
5,384,609	A *	1/1995	Ogawa et al.	396/419
D505,218	S *	5/2005	Van Deursen	D26/49
D546,489	S *	7/2007	Yuen	D26/42
D554,788	S *	11/2007	Chapman	D26/49
7,296,909	B2 *	11/2007	Van Deursen et al.	362/199
D562,480	S *	2/2008	Spartano et al.	D26/46
D562,482	S *	2/2008	Larkin	D26/49
7,342,360	B2	3/2008	Van Duersen et al.	
D574,529	S *	8/2008	Squires et al.	D26/49
D577,450	S *	9/2008	Shiu	D26/49
D593,240	S *	5/2009	Caniparoli	D26/49
D607,591	S *	1/2010	Rivera et al.	D26/49

D610,728	S *	2/2010	Baker et al.	D26/49
D623,785	S *	9/2010	Wessel	D26/49
D623,786	S *	9/2010	Wessel	D26/49
D625,035	S *	10/2010	Vanderbeek	D26/48
D632,411	S *	2/2011	Vanderbeek	D26/48
8,087,797	B2 *	1/2012	Pelletier et al.	362/205
8,262,248	B2 *	9/2012	Wessel	362/198
D687,583	S *	8/2013	von Waldthausen	D26/46
D693,951	S *	11/2013	Rugendyke et al.	D26/46
2003/0067771	A1	4/2003	Kung	
2010/0182777	A1	7/2010	Van Duersen	

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Avyno Law P.C.

(57) **CLAIM**

I claim the ornamental design for a flashlight head, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a flashlight head.
 FIG. 2 is a top view of the flashlight head as illustrated in FIG. 1.
 FIG. 3 is a left side elevation view of the flashlight head as illustrated in FIG. 1.
 FIG. 4 is a rear elevation view of the flashlight head as illustrated in FIG. 1.
 FIG. 5 is a right side elevation view of the flashlight head as illustrated in FIG. 1.
 FIG. 6 is a front view of the flashlight head as illustrated in FIG. 1.
 FIG. 7 is a rear view of the flashlight head as illustrated in FIG. 1.
 FIG. 8 is a perspective view of the flashlight head showing the legs of the tripod in an open position; and,
 FIG. 9 is another alternative perspective view of the flashlight head device showing the legs of the tripod in an open position.
 The dashed lines in various figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1






FIG. 2




FIG. 3

FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8

FIG. 9

