



US00D737599S

(12) **United States Design Patent**
Aldridge et al.

(10) **Patent No.:** **US D737,599 S**
(45) **Date of Patent:** **** Sep. 1, 2015**

- (54) **SEAT CUSHION**
- (71) Applicants: **Jackson T. Aldridge**, Carmel, IN (US);
John T. Roberts, Carmel, IN (US)
- (72) Inventors: **Jackson T. Aldridge**, Carmel, IN (US);
John T. Roberts, Carmel, IN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/456,418**
- (22) Filed: **May 31, 2013**
- (51) **LOC (10) Cl.** **06-09**
- (52) **U.S. Cl.**
USPC **D6/604**
- (58) **Field of Classification Search**
USPC D6/595-601, 604, 605; D21/803, 809;
D24/183, 190-193; 5/420, 630-651,
5/652, 655.3, 655.9, 656, 706, 710,
5/690-692, 900, 902, 910, 922, 928-930,
5/932, 935, 948, 953; 128/202.18;
441/40, 66, 80-81, 127; D7/553.2,
D7/553.5
CPC A47G 9/10; A47G 9/1009; A47G
2009/1018; A47G 9/1027; A47G 9/1036;
A47G 9/1045; A47G 9/1063; A47G 9/1072;
A47G 9/1081; A47G 9/109
See application file for complete search history.

- 4,942,634 A * 7/1990 Saloff et al. 5/682
- D328,402 S 8/1992 Christensen
- 5,134,930 A 8/1992 Mei-Hwa
- D348,792 S * 7/1994 DeGroot D6/604
- D372,829 S 8/1996 Sircy
- 5,580,132 A 12/1996 Rediske
- D391,435 S 3/1998 Song et al.
- 5,836,027 A * 11/1998 Leventhal et al. 5/706
- D405,291 S 2/1999 Yu
- D414,993 S 10/1999 Bordal et al.
- 6,185,770 B1 * 2/2001 Wang 5/706
- D455,928 S * 4/2002 Fisher et al. D6/604
- D489,114 S 4/2004 Peterson
- D489,426 S 5/2004 Oakley
- 6,800,165 B2 10/2004 Wang
- D504,045 S 4/2005 Rediske
- D551,484 S * 9/2007 Kasatshko et al. D6/604
- D551,890 S 10/2007 Gruber
- 7,306,694 B2 12/2007 Wang
- D574,665 S 8/2008 James
- D592,268 S 5/2009 Montagnino
- D599,604 S 9/2009 Dorado et al.

(Continued)

Primary Examiner — Thomas Johannes
Assistant Examiner — Nathaniel D Buckner
(74) *Attorney, Agent, or Firm* — Faegre Baker Daniels LLP


(57) **CLAIM**
The ornamental design for a seat cushion, as shown.

DESCRIPTION

FIG. 1 is a bottom perspective view of a seat cushion showing my new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a front view thereof; the rear view being a mirror image thereto;
FIG. 4 is a side view thereof, the opposite side being a mirror image thereto;
FIG. 5 is a perspective view thereof; and,
FIG. 6 is a top view thereof.
The broken (dash-dot) lines shown in figures illustrate unclaimed structural features that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
180,528 A * 8/1876 Boggett 5/706
1,640,618 A * 8/1927 Sampson 267/117
1,673,636 A 6/1928 Perry
D106,986 S * 11/1937 Manson D6/604
D130,669 S * 12/1941 Traum D6/599
2,761,155 A * 9/1956 Headley 441/40
2,919,747 A 1/1960 Post
4,172,301 A 10/1979 Everard et al.
4,329,748 A 5/1982 Finkelstein
D293,012 S * 12/1987 Storey et al. D21/809
D305,713 S 1/1990 Seifried



(56)

References Cited

U.S. PATENT DOCUMENTS

D603,926 S	11/2009	Merker et al.	2006/0174416 A1*	8/2006	Wu	5/710
D658,921 S *	5/2012	Prendergast	2007/0271704 A1*	11/2007	Breeland	5/653
2002/0138912 A1	10/2002	Minurri et al.	2009/0167041 A1	7/2009	James et al.	
2004/0098808 A1*	5/2004	Sonobe	2009/0217459 A1*	9/2009	Rudolph	5/706
			2010/0229308 A1*	9/2010	Pearce et al.	5/655.5
			2012/0000017 A1*	1/2012	Xia et al.	5/706

* cited by examiner




FIG-1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6