



US00D737713S

(12) **United States Design Patent**  
**Deyaf**

(10) **Patent No.:** **US D737,713 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2015**

- (54) **EMERGENCY VEHICLE LIGHT BAR**
- (71) Applicant: **SpeedTech Lights Inc.**, Buda, TX (US)
- (72) Inventor: **Ahmed Deyaf**, Buda, TX (US)
- (73) Assignee: **SpeedTech Lights Inc.**, Buda, TX (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/469,034**
- (22) Filed: **Oct. 7, 2013**
- (51) **LOC (10) Cl.** ..... **10-05**
- (52) **U.S. Cl.**  
USPC ..... **D10/114.4**
- (58) **Field of Classification Search**  
USPC ..... D26/9, 10, 12, 13, 15, 16, 24, 51, 61,  
D26/72, 76, 80, 81, 85, 86, 88, 90, 113, 118,  
D26/119, 120, 122, 128, 129, 138, 143,  
D26/144; D13/180; D10/93, 114  
CPC ..... B60Q 1/04; B60Q 1/26; F21S 8/026;  
F21S 8/04; F21V 29/004; F21V 21/02;  
F21V 21/04; F21V 29/2212; F21Y 2101/02  
See application file for complete search history.

6,542,359	B2 *	4/2003	Babcock et al.	.....	361/679.46
D476,253	S *	6/2003	Stein et al.	.....	D10/114.4
6,758,718	B1 *	7/2004	Morris	.....	446/431
6,778,078	B1 *	8/2004	Han et al.	.....	340/474
D499,976	S *	12/2004	Neufeglise et al.	.....	D10/114.4
D512,790	S *	12/2005	Handsaker et al.	.....	D26/28
D530,437	S *	10/2006	Neufeglise et al.	.....	D26/28
D574,550	S *	8/2008	Salman	.....	D26/113
D584,980	S *	1/2009	Shin	.....	D10/114.4
D585,318	S *	1/2009	Jalala	.....	D10/114.4
7,524,075	B2 *	4/2009	Mastin	.....	362/35
D595,173	S *	6/2009	Shin	.....	D10/114.4
7,621,662	B1 *	11/2009	Colbert	.....	362/493
D608,674	S *	1/2010	Lyons	.....	D10/114.4

(Continued)

**OTHER PUBLICATIONS**

C3VUE, image post date Dec. 21, 2011, site visited Apr. 29, 2015, (online), <[http://www.emsworld.com/press\\_release/10568321/code-3-introduces-c3vue-visual-user-environment](http://www.emsworld.com/press_release/10568321/code-3-introduces-c3vue-visual-user-environment)>.\*

*Primary Examiner* — Kevin Rudzinski  
*Assistant Examiner* — Sean D Lough

(57) **CLAIM**

The ornamental design for the emergency vehicle light bar, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a light bar for a vehicle showing my new design;  
FIG. 2 is a front view thereof, which is a mirror image of the rear view thereof;  
FIG. 3 is a left side view, which is a mirror image of the right side view thereof;  
FIG. 4 is a top view thereof; and,  
FIG. 5 is a bottom view thereof.  
The broken lines in all FIGS. illustrate portions of emergency vehicle light bar that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,334,211	A *	6/1982	McConnell et al.	.....	340/474
D284,557	S *	7/1986	Ferenc	.....	D10/114.4
D351,591	S *	10/1994	Chen	.....	D13/168
D366,262	S *	1/1996	Inaba	.....	D14/218
5,567,036	A *	10/1996	Theobald et al.	.....	362/485
5,737,339	A *	4/1998	Goto et al.	.....	714/719
D402,909	S *	12/1998	Stanuch	.....	D10/114.4
5,848,837	A *	12/1998	Gustafson	.....	362/235
D410,402	S *	6/1999	Stein et al.	.....	D10/114.4
5,927,845	A *	7/1999	Gustafson et al.	.....	362/152
D432,444	S *	10/2000	Sasaki et al.	.....	D10/114.4
6,398,394	B1 *	6/2002	Winnik	.....	362/490
6,484,456	B1 *	11/2002	Featherstone et al.	.....	52/118



(56)

References Cited

U.S. PATENT DOCUMENTS

D610,932 S *	3/2010	Shin	D10/114.4	D673,701 S *	1/2013	Davies	D26/28
D613,632 S *	4/2010	Shin	D10/114.4	D674,524 S *	1/2013	Davies	D26/28
D614,987 S *	5/2010	Kaffash	D10/114.4	D677,824 S *	3/2013	Maxik et al.	D26/89
D617,226 S *	6/2010	Cai et al.	D10/114.4	D682,135 S *	5/2013	Grote et al.	D10/114.4
D617,227 S *	6/2010	Cai et al.	D10/114.4	D684,718 S *	6/2013	Ko	D26/72
D617,228 S *	6/2010	Shin	D10/114.4	8,454,196 B2 *	6/2013	Ogura	362/249.01
7,789,530 B2 *	9/2010	Stein et al.	362/249.14	8,550,674 B2 *	10/2013	Yu	362/493
D631,771 S *	2/2011	Kuo	D10/114.4	D694,944 S *	12/2013	Rhodes	D26/89
D632,199 S *	2/2011	Jacobs et al.	D10/114.4	D700,098 S *	2/2014	Deyaf	D10/114.4
D633,404 S *	3/2011	Brooking et al.	D10/114.4	D701,636 S *	3/2014	Maxik et al.	D26/89
D637,509 S *	5/2011	Shin	D10/114.4	D703,082 S *	4/2014	Deyaf	D10/114.4
D637,934 S *	5/2011	Shin	D10/114.4	D706,485 S *	6/2014	Waldmann	D26/138
D644,135 S *	8/2011	Cai	D10/114.4	8,757,856 B2 *	6/2014	Matthews	362/542
D645,984 S *	9/2011	Wang	D26/1	D710,528 S *	8/2014	Wardenburg et al.	D26/75
D647,418 S *	10/2011	Miller et al.	D10/114.4	D722,277 S *	2/2015	Shin	D10/114.4
D649,077 S *	11/2011	Deyaf	D10/114.4	8,944,654 B1 *	2/2015	Lyons	362/542
D649,488 S *	11/2011	Deyaf	D10/114.4	D724,249 S *	3/2015	Maxik et al.	D26/76
D650,716 S *	12/2011	Deyaf	D10/114.4	8,973,962 B2 *	3/2015	Van Arnam et al.	296/19
D651,927 S *	1/2012	Kuo	D10/114.4	8,979,353 B2 *	3/2015	Wilson et al.	362/640
D652,753 S *	1/2012	Deyaf	D10/114.4	9,010,976 B2 *	4/2015	Shipman	362/545
D658,526 S *	5/2012	Shin	D10/114.4	2002/0140289 A1 *	10/2002	McConnell et al.	307/10.1
D661,611 S *	6/2012	Yu	D10/114.4	2005/0018441 A1 *	1/2005	Menke et al.	362/493
D662,847 S *	7/2012	Hecht	D10/114.4	2005/0057941 A1 *	3/2005	Pederson et al.	362/542
D667,746 S *	9/2012	Yu	D10/114.4	2007/0258257 A1 *	11/2007	Stein	362/493
D670,043 S *	10/2012	Goldman	D30/155	2010/0073948 A1 *	3/2010	Stein et al.	362/493
D673,068 S *	12/2012	Beghelli	D10/114.4	2010/0157581 A1 *	6/2010	Galli	362/158
				2010/0327748 A1 *	12/2010	Stein et al.	315/77
				2014/0307171 A1 *	10/2014	Fujikawa et al.	348/725

\* cited by examiner





FIG. 1

**FIG. 2**



**FIG. 3**




FIG. 4





FIG. 5



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D737,713 S  
APPLICATION NO. : 29/469034  
DATED : September 1, 2015  
INVENTOR(S) : Deyaf


Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please delete the title page and insert the attached title page

Delete FIG. 4 and FIG. 5 and replace with FIG. 4 and FIG. 5 as shown on the attached page

Signed and Sealed this  
Fourteenth Day of August, 2018



Andrei Iancu  
*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent** (10) **Patent No.:** **US D737,713 S**  
**Deyaf** (45) **Date of Patent:** **\*\* Sep. 1, 2015**

(54) **EMERGENCY VEHICLE LIGHT BAR**  
 (71) Applicant: **SpeedTech Lights Inc., Buda, TX (US)**  
 (72) Inventor: **Ahmed Deyaf, Buda, TX (US)**  
 (73) Assignee: **SpeedTech Lights Inc., Buda, TX (US)**  
 (\*\*) Term: **14 Years**  
 (21) Appl. No.: **29/469,034**  
 (22) Filed: **Oct. 7, 2013**  
 (51) **LOC (10) CL** ..... **10-05**  
 (52) **U.S. CL**  
 USPC ..... **D10/114.4**  
 (58) **Field of Classification Search**  
 USPC ..... D26/9, 10, 12, 13, 15, 16, 24, 51, 61,  
 D26/72, 76, 80, 81, 85, 86, 88, 90, 113, 118,  
 D26/119, 120, 122, 128, 129, 138, 143,  
 D26/144; D13/180; D10/93, 114  
 CPC ..... B60Q 1/04; B60Q 1/26; F21S 8/026;  
 F21S 8/04; F21V 29/004; F21V 21/02;  
 F21V 21/04; F21V 29/2212; F21Y 2101/02  
 See application file for complete search history.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
 4,334,211 A \* 6/1982 McConnell et al. .... 340/474  
 D284,557 S \* 7/1986 Ferenc ..... D10/114.4  
 D351,591 S \* 10/1994 Chen ..... D13/168  
 D366,262 S \* 1/1996 Inaba ..... D14/218  
 5,567,036 A \* 10/1996 Theobald et al. .... 362/485  
 5,737,339 A \* 4/1998 Goto et al. .... 714/719  
 D402,909 S \* 12/1998 Stanuch ..... D10/114.4  
 5,848,837 A \* 12/1998 Gustafson ..... 362/235  
 D410,402 S \* 6/1999 Stein et al. .... D10/114.4  
 5,927,845 A \* 7/1999 Gustafson et al. .... 362/152  
 D432,444 S \* 10/2000 Sasaki et al. .... D10/114.4  
 6,398,394 B1 \* 6/2002 Winnik ..... 362/490  
 6,484,456 B1 \* 11/2002 Featherstone et al. .... 52/118

6,542,359 B2 \* 4/2003 Babcock et al. .... 361/679.46  
 D476,253 S \* 6/2003 Stein et al. .... D10/114.4  
 6,758,718 B1 \* 7/2004 Morris ..... 446/431  
 6,778,078 B1 \* 8/2004 Han et al. .... 340/474  
 D499,976 S \* 12/2004 Neufeglise et al. .... D10/114.4  
 D512,790 S \* 12/2005 Handsaker et al. .... D26/28  
 D530,437 S \* 10/2006 Neufeglise et al. .... D26/28  
 D574,550 S \* 8/2008 Salman ..... D26/113  
 D584,980 S \* 1/2009 Shin ..... D10/114.4  
 D585,318 S \* 1/2009 Jalala ..... D10/114.4  
 7,524,075 B2 \* 4/2009 Mastin ..... 362/35  
 D595,173 S \* 6/2009 Shin ..... D10/114.4  
 7,621,662 B1 \* 11/2009 Colbert ..... 362/493  
 D608,674 S \* 1/2010 Lyons ..... D10/114.4

(Continued)

**OTHER PUBLICATIONS**

C3VUE, image post date Dec. 21, 2011, site visited Apr. 29, 2015,  
 (online). <[http://www.emsworld.com/press\\_release/10568321/code-3-introduces-c3vue-visual-user-environment](http://www.emsworld.com/press_release/10568321/code-3-introduces-c3vue-visual-user-environment)>.\*  
*Primary Examiner* — Kevin Rudzinski  
*Assistant Examiner* — Sean D Lough

(57) **CLAIM**  
 The ornamental design for the emergency vehicle light bar, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light bar for a vehicle showing my new design;  
 FIG. 2 is a front view thereof, which is a mirror image of the rear view thereof;  
 FIG. 3 is a left side view, which is a mirror image of the right side view thereof;  
 FIG. 4 is a top view thereof; and,  
 FIG. 5 is a bottom view thereof.  
 The broken lines in all FIGS. illustrate portions of emergency vehicle light bar that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**





FIG. 4




FIG. 5

