

US00D737752S

(12) **United States Design Patent**  
**Shondel et al.**

(10) **Patent No.:** **US D737,752 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2015**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Jonathan James Shondel, Massillon, OH (US); Craig Desbry English, Akron, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/515,033**

(22) Filed: **Jan. 20, 2015**

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/521**

(58) **Field of Classification Search**  
USPC ..... D12/505–532  
CPC ..... B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 11/0309; B60C 11/0318; B60C 11/0311; B60C 11/042; B60C 11/13; B60C 11/00; B60C 11/11; B60C 11/12  
See application file for complete search history.

D551,158 S 9/2007 Collette et al. .... D12/528  
D558,127 S 12/2007 Shavers et al. .... D12/519  
D559,767 S 1/2008 Graas et al. .... D12/521  
D560,595 S 1/2008 Bindner et al. .... D12/521  
D560,600 S 1/2008 Dixon et al. .... D12/588  
D585,364 S 1/2009 Shondel et al. .... D12/600  
D590,765 S 4/2009 Matsumoto ..... D12/519  
D593,936 S 6/2009 Maxwell ..... D12/587  
D597,474 S 8/2009 Yamakawa et al. .... D12/519  
D599,276 S 9/2009 Fontaine et al. .... D12/519  
D601,939 S 10/2009 Fontaine et al. .... D12/519  
D606,926 S \* 12/2009 Heinen et al. .... D12/521  
D609,161 S 2/2010 Fontaine et al. .... D12/517  
D613,235 S 4/2010 Kossi et al. .... D12/521  
D613,239 S 4/2010 Harvey et al. .... D12/588  
D619,958 S 7/2010 Maxwell ..... D12/586  
D626,910 S \* 11/2010 Bott et al. .... D12/523  
D630,997 S 1/2011 Wright et al. .... D12/516  
D659,075 S \* 5/2012 Harvey et al. .... D12/521  
D668,598 S 10/2012 Hughes et al. .... D12/521  
D669,421 S 10/2012 Stuckey et al. .... D12/588  
D673,894 S 1/2013 Hughes et al. .... D12/521  
D684,919 S \* 6/2013 Maxwell et al. .... D12/521  
D699,663 S \* 2/2014 Dixon et al. .... D12/521  
D700,878 S \* 3/2014 Takemoto ..... D12/523

(Continued)

*Primary Examiner* — Stacia Cadmus  
(74) *Attorney, Agent, or Firm* — Richard B. O’Planick

(57) **CLAIM**  
The ornamental design for a tire, as shown and described.

**DESCRIPTION**



FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view being identical thereof; and,  
FIG. 5 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 5 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D334,360 S 3/1993 Graas et al. .... D12/147  
D344,053 S 2/1994 Attinello et al. .... D12/147  
D392,922 S 3/1998 Heinen ..... D12/147  
D422,246 S 4/2000 Fierro et al. .... D12/146  
D439,870 S \* 4/2001 Lovell et al. .... D12/519  
D451,441 S 12/2001 Weber ..... D12/146  
D483,006 S 12/2003 Brayer et al. .... D12/588  
D490,045 S 5/2004 Delu et al. .... D12/519  
D512,013 S 11/2005 Delu et al. .... D12/521  
D524,231 S 7/2006 Marazzi et al. .... D12/521  
D524,233 S \* 7/2006 Marazzi et al. .... D12/521  
D524,236 S 7/2006 Marazzi et al. .... D12/524



# US D737,752 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D710,787 S	8/2014	Dixon et al. ....	D12/521	
D713,325 S	9/2014	Maxwell et al. ....	D12/521	* cited by examiner
D719,906 S	* 12/2014	Kato .....	D12/519	
D722,010 S	* 2/2015	Tian .....	D12/521	
D724,005 S	3/2015	Hughes et al. ....	D12/515	





FIG - 1






FIG - 2





FIG - 3





FIG - 4





FIG - 5