



US00D737752S

(12) **United States Design Patent**  
**Shondel et al.**

(10) **Patent No.:** **US D737,752 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2015**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Jonathan James Shondel, Massillon, OH (US); Craig Desbry English, Akron, OH (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/515,033**

(22) Filed: **Jan. 20, 2015**

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/521**

(58) **Field of Classification Search**  
USPC ..... D12/505–532  
CPC ..... B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 11/0309; B60C 11/0318; B60C 11/0311; B60C 11/042; B60C 11/13; B60C 11/00; B60C 11/11; B60C 11/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D334,360 S	3/1993	Graas et al. ....	D12/147
D344,053 S	2/1994	Attinello et al. ....	D12/147
D392,922 S	3/1998	Heinen .....	D12/147
D422,246 S	4/2000	Fierro et al. ....	D12/146
D439,870 S *	4/2001	Lovell et al. ....	D12/519
D451,441 S	12/2001	Weber .....	D12/146
D483,006 S	12/2003	Brayer et al. ....	D12/588
D490,045 S	5/2004	Delu et al. ....	D12/519
D512,013 S	11/2005	Delu et al. ....	D12/521
D524,231 S	7/2006	Marazzi et al. ....	D12/521
D524,233 S *	7/2006	Marazzi et al. ....	D12/521
D524,236 S	7/2006	Marazzi et al. ....	D12/524

D551,158 S	9/2007	Collette et al. ....	D12/528
D558,127 S	12/2007	Shavers et al. ....	D12/519
D559,767 S	1/2008	Graas et al. ....	D12/521
D560,595 S	1/2008	Bindner et al. ....	D12/521
D560,600 S	1/2008	Dixon et al. ....	D12/588
D585,364 S	1/2009	Shondel et al. ....	D12/600
D590,765 S	4/2009	Matsumoto .....	D12/519
D593,936 S	6/2009	Maxwell .....	D12/587
D597,474 S	8/2009	Yamakawa et al. ....	D12/519
D599,276 S	9/2009	Fontaine et al. ....	D12/519
D601,939 S	10/2009	Fontaine et al. ....	D12/519
D606,926 S *	12/2009	Heinen et al. ....	D12/521
D609,161 S	2/2010	Fontaine et al. ....	D12/517
D613,235 S	4/2010	Kossi et al. ....	D12/521
D613,239 S	4/2010	Harvey et al. ....	D12/588
D619,958 S	7/2010	Maxwell .....	D12/586
D626,910 S *	11/2010	Bott et al. ....	D12/523
D630,997 S	1/2011	Wright et al. ....	D12/516
D659,075 S *	5/2012	Harvey et al. ....	D12/521
D668,598 S	10/2012	Hughes et al. ....	D12/521
D669,421 S	10/2012	Stuckey et al. ....	D12/588
D673,894 S	1/2013	Hughes et al. ....	D12/521
D684,919 S *	6/2013	Maxwell et al. ....	D12/521
D699,663 S *	2/2014	Dixon et al. ....	D12/521
D700,878 S *	3/2014	Takemoto .....	D12/523

(Continued)

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;



FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view being identical thereof; and,

FIG. 5 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 5 Drawing Sheets**



# US D737,752 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D710,787 S	8/2014	Dixon et al. ....	D12/521	
D713,325 S	9/2014	Maxwell et al. ....	D12/521	* cited by examiner
D719,906 S	* 12/2014	Kato .....	D12/519	
D722,010 S	* 2/2015	Tian .....	D12/521	
D724,005 S	3/2015	Hughes et al. ....	D12/515	



FIG - 1




FIG - 2



FIG - 3



FIG - 4



FIG - 5