

US00D737819S

(12) **United States Design Patent**
Tsai et al.

(10) **Patent No.:** **US D737,819 S**

(45) **Date of Patent:** **** Sep. 1, 2015**

(54) **STORAGE DEVICE**

(71) Applicant: **Synology Incorporated**, Taipei (TW)

(72) Inventors: **Ming-Hung Tsai**, New Taipei (TW);
Huang-I Liu, New Taipei (TW);
Guo-Shiang Lee, New Taipei (TW)

(73) Assignee: **Synology Incorporated**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/484,199**

(22) Filed: **Mar. 6, 2014**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/365**

(58) **Field of Classification Search**

USPC D14/365, 314, 496, 125, 240, 356-358,
D14/242; D13/184; 361/724, 752, 679.33

CPC H05K 5/00
See application file for complete search history.

D596,626	S	*	7/2009	Andre et al.	D14/240
D601,583	S	*	10/2009	Andre et al.	D14/496
D604,725	S	*	11/2009	Chen	D14/240
D606,542	S	*	12/2009	Lu et al.	D14/356
D613,727	S	*	4/2010	Xie et al.	D14/240
D620,953	S	*	8/2010	Andre et al.	D14/496
D621,397	S	*	8/2010	Andre et al.	D14/314
D641,327	S	*	7/2011	Falakfarsa et al.	D14/125
D674,367	S	*	1/2013	Dernier	D14/125
8,451,598	B2	*	5/2013	Goh et al.	361/679.33
D686,198	S	*	7/2013	Lewis et al.	D14/240
D686,201	S	*	7/2013	Lee	D14/314
D694,234	S	*	11/2013	McParland et al.	D14/365
D695,727	S	*	12/2013	Shimizu	D14/240
D697,941	S	*	1/2014	Zhang et al.	D14/496
D707,667	S	*	6/2014	Kono et al.	D14/240
D721,665	S	*	1/2015	Klepper et al.	D14/125
2003/0081377	A1	*	5/2003	Lin	361/683

* cited by examiner

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Winston Hsu; Scott Margo

(57) **CLAIM**

The ornamental design for a storage device, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D186,981	S	*	1/1960	Hughes	D14/356
D296,899	S	*	7/1988	Chu et al.	D14/365
D314,369	S	*	2/1991	Sacherman	D13/160
D328,735	S	*	8/1992	Barbera et al.	D14/355
D331,394	S	*	12/1992	Kobayashi et al.	D14/242
D399,840	S	*	10/1998	Curbbun et al.	D14/358
D401,568	S	*	11/1998	Alden et al.	D13/184
D434,737	S	*	12/2000	Jensen et al.	D14/125
D436,596	S	*	1/2001	Ito et al.	D14/434
D460,069	S	*	7/2002	Greenhalgh et al.	D14/368
D460,753	S	*	7/2002	Hill et al.	D14/240
D474,772	S	*	5/2003	Deguchi et al.	D14/433
D493,169	S	*	7/2004	Cheng	D14/357
D510,344	S	*	10/2005	Hsieh	D14/240
D522,531	S	*	6/2006	Solomon et al.	D14/496
D542,288	S	*	5/2007	Andre et al.	D14/314

DESCRIPTION

FIG. 1 is a front perspective view of a storage device showing our new design;

FIG. 2 is a front view of the storage device in FIG. 1;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG. 7