

US00D738046S

(12) **United States Design Patent**  
**Cooper**

(10) **Patent No.:** **US D738,046 S**

(45) **Date of Patent:** **\*\* Sep. 1, 2015**

(54) **SOFT FLEXIBLE PROTECTIVE ELEMENT**

(56) **References Cited**

(71) Applicant: **Everton Cooper**, New York, NY (US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Everton Cooper**, New York, NY (US)

3,873,998	A *	4/1975	Norris et al.	2/2.5
4,989,266	A *	2/1991	Borgese et al.	2/2.5
5,008,959	A *	4/1991	Coppage et al.	2/2.5
D426,031	S *	5/2000	Flandez	D29/101.4
7,104,177	B1 *	9/2006	Aghajanian et al.	89/36.02
D569,043	S *	5/2008	Crye et al.	D29/100
D569,044	S *	5/2008	Crye et al.	D29/100
7,636,948	B1 *	12/2009	Crye et al.	2/2.5
D610,312	S *	2/2010	Farrell	D29/100
D632,845	S *	2/2011	Green et al.	D29/101.3
D632,846	S *	2/2011	Green et al.	D29/101.3
D638,583	S *	5/2011	Bishop	D29/101.3

(73) Assignee: **Everton Cooper**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/486,745**

(22) Filed: **Apr. 2, 2014**

\* cited by examiner

(51) **LOC (10) Cl.** ..... **29-02**

*Primary Examiner* — Randall Gholson

(52) **U.S. Cl.**

(57) **CLAIM**

USPC ..... **D29/101.3**

The ornamental design for a soft flexible protective element, as shown.

(58) **Field of Classification Search**

**DESCRIPTION**


USPC ..... D29/10, 11, 99, 101.2, 101.3; 2/2, 2.5, 2/27, 44.45, 69, 92, 94, 102, 108, 268, 2/326, 410, 411, 412, 413, 414, 455, 456, 2/461, 462, 463, 464, 465; 428/113, 911; 89/36.01, 36.02, 36.05; D24/64; 280/290, 808; 350/97, 98


FIG. 1 is a front perspective view showing my new design for a soft flexible protective element;  
FIG. 2 is a front view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a left side view thereof; and,  
FIG. 5 is a right side view thereof.

CPC ..... F41H 1/00; F41H 1/02

See application file for complete search history.

**1 Claim, 4 Drawing Sheets**





*FIG. 1*






FIG. 2



*FIG. 3*



*FIG. 4*



*FIG. 5*