



US00D738072S

(12) **United States Design Patent**  
**Cho**

(10) **Patent No.:** **US D738,072 S**

(45) **Date of Patent:** **\*\* Sep. 8, 2015**

(54) **SWEATBAND**

(71) Applicant: **Yupoong, Inc.**, Seoul (KR)

(72) Inventor: **Byoung-Woo Cho**, Seoul (KR)

(73) Assignee: **Yupoong, Inc.**, Seoul (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/438,102**

(22) Filed: **Nov. 26, 2012**

(51) **LOC (10) Cl.** ..... **02-03**

(52) **U.S. Cl.**

USPC ..... **D2/894**

(58) **Field of Classification Search**

USPC ..... D2/871, 874, 877, 881, 889, 892, 894,  
D2/868, 869, 865, 866, 867, 870, 872, 873,  
D2/875, 876, 878, 880, 879, 882, 883, 884,  
D2/886, 891, 893, 895; 2/181, 171.5,  
2/171.8, 181.2, 181.4, 181.6, 181.8,  
2/182.3, 208, 209, 209.11, 425, 452, 454,  
2/10, 12, 171.4, 174, 175.4, 175.5, 183,  
2/184, 195.1, 195.2, 195.3, 195.6, 200.1,  
2/200.2, 209.12, 209.13, 209.14; D5/1,  
D5/2, 3, 7, 29, 46, 47, 55, 58, 60, 61

CPC ..... A41D 20/00; A41D 23/00; A42B 1/069;  
A42B 1/00; A42C 5/02

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

246,588 A \* 9/1881 Bancroft ..... 2/181  
D33,319 S \* 10/1900 Koenigs ..... D2/894  
2,445,209 A \* 7/1948 Clark ..... 2/181.4  
D151,042 S \* 9/1948 Harrison ..... D5/7  
2,820,226 A \* 1/1958 Topiel et al. .... 2/181  
3,089,146 A \* 5/1963 Sterne ..... 2/181  
3,280,406 A \* 10/1966 Immel ..... 2/181  
3,466,664 A \* 9/1969 Militello ..... 2/171

5,033,122 A \* 7/1991 Smith ..... 2/209.3  
5,297,296 A \* 3/1994 Moretz et al. .... 2/237  
6,477,715 B2 \* 11/2002 Shin ..... 2/181.4  
6,502,245 B1 \* 1/2003 McBride ..... 2/181  
6,546,563 B2 \* 4/2003 Young ..... 2/181  
6,625,818 B2 \* 9/2003 Putnam ..... 2/181  
D493,026 S \* 7/2004 Park ..... D2/894  
6,817,035 B2 \* 11/2004 Park ..... 2/181  
6,895,601 B2 \* 5/2005 Park ..... 2/181  
7,174,572 B1 \* 2/2007 Diamond et al. .... 2/181  
7,278,172 B2 \* 10/2007 Shin ..... 2/181

(Continued)

**FOREIGN PATENT DOCUMENTS**

KR 300700165.0000 \* 7/2013

**OTHER PUBLICATIONS**

Flexfit cap (on-line), dated Feb. 22, 2010. Retrieved from Internet  
Jan. 2, 2015, URL: <https://web.archive.org/web/20100222040439/http://flexfit.com/technology/#flexfit-tech> (1 page).\*

*Primary Examiner* — Karen E. Eldridge Powers

*Assistant Examiner* — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Fellers, Snider,  
Blankenship, Bailey & Tippens, P.C.

(57) **CLAIM**

The ornamental design for a sweatband, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of a sweatband according to my  
new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D578,742 S	10/2008	Cho	2004/0019954 A1*	2/2004	Park	2/195.1
D599,980 S	9/2009	Cho	2004/0103468 A1*	6/2004	Park	2/181
D610,811 S *	3/2010	Jager	2007/0022929 A1*	2/2007	Wang	112/1
D669,633 S *	10/2012	Hedgren	2007/0079424 A1*	4/2007	Cho	2/195.1
2003/0097705 A1*	5/2003	Han	2007/0157366 A1	7/2007	Cho	
2003/0172438 A1*	9/2003	Han et al.	2007/0245456 A1	10/2007	Cho	
			2009/0183300 A1*	7/2009	Cho	2/181
			2013/0263357 A1*	10/2013	Burnet et al.	2/181
			2014/0059740 A1*	3/2014	Cho	2/181

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7