



US00D738108S

(12) **United States Design Patent**  
**Adler et al.**

(10) **Patent No.:** **US D738,108 S**  
(45) **Date of Patent:** **\*\* Sep. 8, 2015**

(54) **BICYCLE STORAGE BAG**

(71) Applicant: **Thule IP AB**, Malmö (SE)

(72) Inventors: **Douglas Adler**, Sheung Wan (HK);  
**Oskar Juhlin**, Gustavsberg (SE);  
**Michael Noer**, Stillwater, MN (US)

(73) Assignee: **Thule IP AB**, Malmö (SE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/461,463**

(22) Filed: **Jul. 23, 2013**

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**

USPC ..... **D3/289**; D3/290; D3/299; D3/301

(58) **Field of Classification Search**

USPC ..... D3/273, 276, 282, 283, 285, 287, 284,  
D3/289, 290, 299, 301, 900, 902, 295, 225,  
D3/215; 224/218, 412, 419, 427, 420, 430;  
150/100–126; 190/100–127, 903;  
D12/407, 400, 409

CPC ..... B62J 9/00; B62J 9/003; B62J 9/006;  
A45C 2003/007; A45C 3/00; A45C 3/001;  
A45C 2003/002; A45C 13/02

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,955,730 A \* 5/1976 Montgomery ..... 224/438  
4,598,846 A \* 7/1986 Schroeder ..... 224/439  
4,629,040 A \* 12/1986 Jones ..... 190/102  
5,061,086 A \* 10/1991 Vallergera ..... 383/16  
D336,878 S \* 6/1993 Graf ..... D12/409  
D346,489 S \* 5/1994 Bean et al. .... D7/709  
6,353,215 B1 \* 3/2002 Revels et al. .... 219/770  
6,491,074 B1 \* 12/2002 Roegner ..... 150/112

D473,051 S \* 4/2003 Hassett ..... D3/267  
D477,713 S \* 7/2003 Murdoch et al. .... D3/267  
D482,865 S \* 12/2003 Fair ..... D3/267  
D490,242 S \* 5/2004 Hassett ..... D3/267

(Continued)

*Primary Examiner* — Jennifer Rivard

*Assistant Examiner* — April Rivas

(74) *Attorney, Agent, or Firm* — Sheridan Ross P.C.

(57) **CLAIM**

The ornamental design for a bicycle storage bag, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the bicycle storage bag in a closed position;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right elevation view thereof;

FIG. 5 is a left elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a rear elevation view of the bicycle storage bag of FIG. 1 in an open position;

FIG. 9 is a front perspective view of the bicycle storage bag according to an alternative embodiment in a closed position;

FIG. 10 is a front elevation view of the embodiment of FIG. 9;

FIG. 11 is a rear elevation view of the embodiment of FIG. 9;

FIG. 12 is a right elevation view of the embodiment of FIG. 9;

FIG. 13 is a left elevation view of the embodiment of FIG. 9;

FIG. 14 is a top plan view of the embodiment of FIG. 9;


FIG. 15 is a bottom plan view of the embodiment of FIG. 9;

and,

FIG. 16 is a rear elevation view of the embodiment of FIG. 9 in an open position.

The broken lines illustrate portions of the bicycle storage bag and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D672,556 S \* 12/2012 Scarabelli ..... D3/289

D716,551 S \* 11/2014 Taylor ..... D3/299

D722,435 S \* 2/2015 Manlove ..... D3/301

2005/0121121 A1 \* 6/2005 Wang ..... 150/117

2009/0250362 A1 \* 10/2009 Melmon et al. .... 206/316.2

2010/0122994 A1 \* 5/2010 Chuang ..... 224/420

2011/0062199 A1 \* 3/2011 Liu ..... 224/420

2013/0207423 A1 \* 8/2013 Russell et al. .... 297/188.2

2014/0248003 A1 \* 9/2014 Mogil et al. .... 383/3

\* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG.8



FIG.9



FIG. 10




FIG. 11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16