



US00D738187S

(12) **United States Design Patent**
Garthe

(10) **Patent No.:** **US D738,187 S**

(45) **Date of Patent:** **** Sep. 8, 2015**

(54) **CABLE LOCK**

D339,057 S 9/1993 Lofland
5,291,765 A * 3/1994 Hoisington 70/233
5,365,757 A 11/1994 Primeau et al.
5,881,582 A 3/1999 Monaco

(71) Applicant: **ABUS August Bremicker Söhne KG**,
Wetter-Volmarstein (DE)

(Continued)

(72) Inventor: **Bernhard Garthe**, Gevelsberg (DE)

Primary Examiner — Prabhakar Deshmukh

(73) Assignee: **ABUS August Bremicker Söhne KG**,
Wetter-Volmarstein (DE)

(74) *Attorney, Agent, or Firm* — Gifford, Krass, Sprinkle,
Anderson & Citkowski, P.C.

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a cable lock, as shown and described.

(21) Appl. No.: **29/499,257**

DESCRIPTION

(22) Filed: **Aug. 13, 2014**

(30) **Foreign Application Priority Data**

Feb. 14, 2014 (EM) 002405316-0001
Feb. 14, 2014 (EM) 002405316-0002
Feb. 14, 2014 (EM) 002405316-0003

The patent or patent application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided the Office upon request and payment of the necessary fee.

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/333**; D8/330; D8/343

FIG. 1 is a top plan view of a cable lock showing my new design;

(58) **Field of Classification Search**
USPC D8/330–333, 339–343, 349, 382, 383,
D8/394, 396; 70/14–16, 19, 57, 57.1, 58,
70/141, 158, 224, 225, 226, 233, 431, 416,
70/465; 292/246–256, 299, 307 R;
24/17 AP, 16 R, 17 B, 19, 629; 248/73,
248/74.3
CPC A01K 27/00; B65D 55/14; E05B 67/36;
E05B 73/00; E05B 67/06
See application file for complete search history.

FIG. 2 is a top, front and left perspective view thereof;

FIG. 3 is a top, rear and left side perspective view thereof;

FIG. 4 is a top plan view thereof, shown in open position;

FIG. 5 is a top, front and left perspective view, shown in an open position;

FIG. 6 is a top, rear and left side perspective view, shown in an open position;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a bottom plan view, shown in an open position;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a left side elevational view thereof;

FIG. 11 is a rear elevational view thereof; and,

FIG. 12 is another left side elevational view, shown in upside down position.


The cable showing as environment and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,469,592 A 5/1949 Byer
3,667,259 A 6/1972 Reque et al.

1 Claim, 12 Drawing Sheets
(12 of 12 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

6,131,969 A * 10/2000 Natkins 292/323
D457,802 S * 5/2002 Meekma et al. D8/333
D469,332 S * 1/2003 Meekma et al. D8/333
D477,768 S * 7/2003 Bridges et al. D8/333
6,775,054 B1 8/2004 Smith et al.
7,104,093 B2 * 9/2006 Ling et al. 70/30

D535,177 S * 1/2007 Hsieh D8/333
7,293,438 B2 11/2007 Benda
D619,875 S * 7/2010 McCauley D8/333
D632,541 S * 2/2011 Dresser D8/333
8,087,558 B2 * 1/2012 Tsai 224/425
8,228,192 B2 * 7/2012 Eckert et al. 340/568.2
8,528,371 B2 * 9/2013 Spiegel et al. 70/18
8,578,743 B2 * 11/2013 Yu 70/30

* cited by examiner



FIG. 1

FIG. 2






FIG. 3

FIG. 4



FIG. 5






FIG. 6




FIG. 7




FIG. 8

FIG. 9




FIG. 10




FIG. 11




FIG. 12

