



US00D738255S

(12) **United States Design Patent**
Hortnagl

(10) **Patent No.:** **US D738,255 S**
(45) **Date of Patent:** **** Sep. 8, 2015**

(54) **BUCKLE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **ABA Hortnagl GmbH**, Fulpmes (AT)

CA 2209200 2/1999
DE 3925548 3/1990

(72) Inventor: **Andreas Hortnagl**, Fulpmes (AT)

(Continued)

(73) Assignee: **ABA Hörtnagl GmbH**, Fulpmes (AT)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Drawings from U.S. Appl. No. 14/247,600, filed Apr. 18, 2014.

(21) Appl. No.: **29/489,922**

Primary Examiner — Ralf Seifert

(22) Filed: **May 5, 2014**

(74) *Attorney, Agent, or Firm* — Volpe and Koenig, P.C.

(57)

CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

(30) **Foreign Application Priority Data**

Nov. 4, 2013 (EP) 001388763-01-03

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/218**

(58) **Field of Classification Search**

USPC D11/1–2, 200–201, 206–210, 214–218;
24/163 R, 169–171, 173, 177–179, 191,
24/194–195, 197, 200, 614–616, 625, 198,
24/578.11, 578.1, 163 K, 114

CPC A44B 11/26; A44B 11/25; A44B 11/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,599,920 A 9/1926 Pryor
D124,604 S * 1/1941 Goodwin D11/216
3,131,674 A 5/1964 Dalton
4,493,135 A * 1/1985 Crook, Jr. 24/197
5,322,037 A 6/1994 Tozawa
5,351,372 A 10/1994 Ihara
D357,435 S * 4/1995 Cook D11/218

(Continued)

FIG. 1 is a perspective view of a first embodiment of a buckle in accordance with my design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top view thereof; and

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of a second embodiment of a buckle in accordance with my design;

FIG. 9 is a front view thereof;

FIG. 10 is a back view thereof;

FIG. 11 is a right side elevational view thereof;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a top view thereof; and

FIG. 14 is a bottom view thereof;

FIG. 15 is a perspective view of a third embodiment of a buckle in accordance with my design;

FIG. 16 is a front view thereof;

FIG. 17 is a back view thereof;


FIG. 18 is a right side elevational view thereof;

FIG. 19 is a left side elevational view thereof;

FIG. 20 is a top view thereof; and,

FIG. 21 is a bottom view thereof.

1 Claim, 3 Drawing Sheets



Page 2

FOREIGN PATENT DOCUMENTS

DE	4238266	5/1993
DE	9412362	10/1994
DE	4416430	11/1995
EP	2165619	3/2010
JP	2006116140	5/2006
WO	9603864	2/1996
WO	2010130501	11/2010

D364,126	S *	11/1995	Ochiai et al.	D11/218
6,389,653	B1 *	5/2002	Matoba	24/265 BC
D667,753	S *	9/2012	Nanbu et al.	D11/218
D673,880	S *	1/2013	Boothby et al.	D11/218
D683,262	S *	5/2013	Fitzpatrick et al.	D11/218
2010/0071173	A1	3/2010	Hortnagl	
2012/0067299	A1	3/2012	Vollmecke et al.	
2014/0298630	A1	10/2014	Hortnagl	

* cited by examiner




Fig. 1




Fig. 2




Fig. 6



Fig. 5




Fig. 3




Fig. 4




Fig. 7




Fig. 8




Fig. 9




Fig. 13



Fig. 12




Fig. 10



Fig. 11




Fig. 14




Fig. 15




Fig. 16




Fig. 20



Fig. 19




Fig. 17



Fig. 18




Fig. 21