



US00D738406S

(12) **United States Design Patent**  
**Lavallee, II**

(10) **Patent No.:** **US D738,406 S**  
(45) **Date of Patent:** **\*\* Sep. 8, 2015**

(54) **SERRATED CUTTING BLADE FOR INSULATION VACUUM MACHINE**

(71) Applicant: **INSULATION TECHNOLOGY CORPORATION, Erie, CO (US)**

(72) Inventor: **Raymond Lavallee, II, Littleton, CO (US)**

(73) Assignee: **Insulation Technology Corporation, Frederick, CO (US)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/472,851**

(22) Filed: **Nov. 15, 2013**

(51) **LOC (10) Cl.** ..... **15-03**

(52) **U.S. Cl.**  
USPC ..... **D15/29**

(58) **Field of Classification Search**  
USPC ..... D32/15; D15/10, 29, 139; D8/7, 14, 20, D8/98, 70  
CPC ..... B02C 18/14; B02C 13/16; B02C 18/06  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D301,973	S	*	7/1989	Parella	.....	D8/349
5,095,623	A	*	3/1992	Williams	.....	30/144
D358,643	S	*	5/1995	Knepshield et al.	.....	D24/146
5,692,262	A	*	12/1997	Haupt et al.	.....	15/339
5,707,017	A	*	1/1998	Paolucci et al.	.....	241/55
D403,815	S	*	1/1999	Inerbickler	.....	D32/46
D422,185	S	*	4/2000	Gold	.....	D8/20
D439,666	S	*	3/2001	Ventura	.....	D24/146
D446,097	S	*	8/2001	Al-Askari	.....	D8/19
D455,057	S	*	4/2002	Medhurst	.....	D8/20
D457,269	S	*	5/2002	Arey	.....	D28/47

6,629,818	B2	*	10/2003	Svoboda	.....	415/121.1
D582,229	S	*	12/2008	Johnson	.....	D8/20
D617,162	S	*	6/2010	Tom et al.	.....	D8/20
D641,766	S	*	7/2011	Hashimoto	.....	D15/133
D680,831	S	*	4/2013	Zhang	.....	D8/20
8,875,611	B2	*	11/2014	Mann	.....	83/607
8,888,028	B2	*	11/2014	Tulipani	.....	241/55

**OTHER PUBLICATIONS**

<http://www.billygoat.com/Product-Categories/Detail/self-propelled-outdoor-vacuum>.

\* cited by examiner

*Primary Examiner* — Phillip S Hyder

(74) *Attorney, Agent, or Firm* — Shifrin Patent Law; Dan Shifrin


(57) **CLAIM**

The ornamental design of a serrated cutting blade for insulation vacuum machine, as substantially shown and described.

**DESCRIPTION**

FIG. 1 is a right front perspective view of the serrated cutting blade of the present invention;  
 FIG. 2 is a left rear perspective view of the serrated cutting blade of the present invention;  
 FIG. 3 is a right side view of the serrated cutting blade of the present invention, the left side view being a mirror image thereof;  
 FIG. 4 is a top view of the serrated cutting blade of the present invention;  
 FIG. 5 is a bottom view of the serrated cutting blade of the present invention;  
 FIG. 6 is a front view of the serrated cutting blade of the present invention; and,  
 FIG. 7 is a rear view of the serrated cutting blade of the present invention.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7