



US00D738519S

(12) **United States Design Patent**
Phillips et al.

(10) **Patent No.:** **US D738,519 S**

(45) **Date of Patent:** **** Sep. 8, 2015**

(54) **ROLLER**

(71) Applicant: **IMPLUS FOOTCARE, LLC**, Durham, NC (US)

(72) Inventors: **Peter Cassidy Phillips**, Austin, TX (US); **Mauricio Delgado**, Austin, TX (US)

(73) Assignee: **IMPLUS FOOTCARE, LLC.**, Durham, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/498,377**

(22) Filed: **Aug. 2, 2014**

(51) **LOC (10) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/211**

(58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215;
601/110–114, 120, 121, 124, 125, 129,
601/131, 134, 135, 136, 137
CPC A61H 19/30; A61H 19/32; A61H 19/34;
A61H 19/40; A61H 19/44; A61H 19/50;
A61H 19/00; A61H 2201/1253; A61H
2205/082; A61H 2205/085; A61H 2205/087;
A61H 15/0085

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,688,764 A 10/1928 Trankowski
D269,375 S * 6/1983 Masuda D24/211

D271,051 S * 10/1983 McCoy et al. D24/211
4,433,683 A * 2/1984 McCoy et al. 601/120
4,648,387 A * 3/1987 Simmons 601/120
4,712,539 A * 12/1987 Kim 601/120
D347,898 S * 6/1994 Belcher D24/211
5,577,996 A * 11/1996 Gardner et al. 601/120
D381,754 S * 7/1997 Fani D24/200
5,709,705 A * 1/1998 Belcher 606/204.35
D398,400 S * 9/1998 Havelind D24/211
D445,905 S * 7/2001 Hey D24/211
6,764,454 B2 * 7/2004 Tu 601/15
6,878,124 B1 * 4/2005 Crowe 601/122
D650,487 S * 12/2011 Briscoe D24/211
D704,852 S * 5/2014 Yang D24/211
2008/0103421 A1 * 5/2008 Nicholson 601/120

* cited by examiner

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a roller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our roller;
FIG. 2 is a front view of our roller;
FIG. 3 is a back view of our roller;
FIG. 4 is a left side view of our roller, the right side view thereof being substantially identical; and,
FIG. 5 is a top view of our roller, the bottom view thereof being substantially identical.
Our roller comprises a tubular, longitudinally- and circumferentially-scalloped body that rotates about a shaft extending therethrough, the shaft having a single-lobed handle on each end thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5