



US00D738645S

(12) **United States Design Patent**
Goetsch

(10) **Patent No.:** **US D738,645 S**

(45) **Date of Patent:** **** Sep. 15, 2015**

(54) **CUSHIONED SUPPORT**

(71) Applicant: **Stephen Goetsch**, Burbank, CA (US)

(72) Inventor: **Stephen Goetsch**, Burbank, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/467,875**

(22) Filed: **Sep. 24, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/304,243, filed on Nov. 23, 2011, now abandoned.

(51) **LOC (10) Cl.** **06-09**

(52) **U.S. Cl.**

USPC **D6/601**

(58) **Field of Classification Search**

USPC D6/595-601, 604, 605; D1/122, 129;
D21/803, 809; D24/183, 190-193;
5/420, 630-651, 652, 655.3, 655.9,
5/656, 706, 710, 690-692, 900, 902, 910,
5/922, 928-930, 932, 935, 948, 953;
128/202.18; 441/40, 66, 80-81, 127
CPC A47G 9/10; A47G 9/1009; A47G
2009/1018; A47G 9/1027; A47G 9/1036;
A47G 9/1063; A47G 9/1072; A47G 9/1081;
A47G 9/109

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,565,582 A * 12/1925 Moore 135/73
3,269,400 A * 8/1966 Smith et al. 135/73

3,537,463 A * 11/1970 Smith et al. 135/69
5,324,096 A * 6/1994 Schultz 297/411.36
D404,887 S * 2/1999 Prins D1/129
D430,391 S * 9/2000 Mize D3/10
D512,547 S * 12/2005 O'Neill D1/129
6,974,190 B1 * 12/2005 Hung 297/411.36
D579,626 S * 11/2008 Schulman D1/122
7,712,478 B2 * 5/2010 Gibbons et al. 135/73
D660,056 S * 5/2012 Diffrient D6/500
2013/0127217 A1 * 5/2013 Goetsch 297/227

OTHER PUBLICATIONS

ChairArmPads[online], Web.archive.org [retrieved on Nov. 24, 2014], (Captured Jul. 27, 2013) Retrieved from the Internet<URL:https://web.archive.org/web/20130727021116/http://chairarm pads.com/elbow-friend-armrest-pads-cushions.html>.*

* cited by examiner

Primary Examiner — Karen E Kearney

Assistant Examiner — Nathaniel D Buckner

(74) *Attorney, Agent, or Firm* — James A. Italia; Italia IP

(57) **CLAIM**

The ornamental design for a cushioned support, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cushioned support, showing my new design;

FIG. 2 is a front elevational view of the invention;

FIG. 3 is a rear elevational view of the invention;


FIG. 4 is a right-side elevational view of the invention;

FIG. 5 is a left-side elevational view of the invention;

FIG. 6 is a top plan view of the invention; and,

FIG. 7 is a bottom plan view of the invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7