



US00D738750S

(12) **United States Design Patent**
Regimand et al.

(10) **Patent No.:** **US D738,750 S**

(45) **Date of Patent:** **** Sep. 15, 2015**

(54) **MOISTURE AND DENSITY NUCLEAR GAUGE CALIBRATION DEVICE**

(71) Applicant: **InstroTek, Inc.**, Raleigh, NC (US)

(72) Inventors: **Ali Regimand**, Raleigh, NC (US); **Peter D. Muse**, Durham, NC (US); **Lawrence H. James**, Raleigh, NC (US); **Adam C. O'Neill**, Raleigh, NC (US)

(73) Assignee: **InstroTek, Inc.**, Raleigh, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/488,030**

(22) Filed: **Apr. 15, 2014**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/47; D10/56**

(58) **Field of Classification Search**
USPC D10/49, 56; 73/1.88, 437, 73, 803;
250/253, 390.04, 390.05; 378/89, 90,
378/207; 702/90, 137
CPC G01N 23/00; G01N 23/06–23/185;
G01N 23/203; G01N 23/204; G01N 23/222;
G01N 23/223; G01N 2223/00–2223/66;
G01B 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,694,165	A *	9/1987	Proctor et al.	250/252.1
6,050,725	A *	4/2000	Regimand	378/207
6,369,381	B1	4/2002	Troxler et al.	
6,459,772	B1	10/2002	Wiedenhoefer et al.	
D490,326	S *	5/2004	Saubolle	D10/47
8,735,816	B2 *	5/2014	Nakayama et al.	250/307
D706,146	S *	6/2014	Regimand et al.	D10/56

OTHER PUBLICATIONS

Photographs of a conventional calibration bay setup with three density blocks and one moisture block (four block configuration), date unknown but believed to be prior to Nov. 30, 2011, 3 pages.

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Myers Bigel Sibley & Sajovec, P.A.


(57) **CLAIM**

The ornamental design for a moisture and density nuclear gauge calibration device, as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of a moisture and density nuclear gauge calibration device showing our design; FIG. 2 is a bottom, side perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a top view thereof; FIG. 5 is a side view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a side view thereof, opposite that shown in FIG. 5; FIG. 8 is a rear view thereof; FIG. 9 is a side perspective environmental view of the moisture and density nuclear gauge calibration device shown with a nuclear gauge in broken line sitting thereon for calibration; FIG. 10 is a front, top perspective view of another embodiment of the moisture and density nuclear gauge calibration device showing our design; FIG. 11 is a bottom, side perspective view thereof; FIG. 12 is a front view thereof; FIG. 13 is a top view thereof; FIG. 14 is a side view thereof; FIG. 15 is a bottom view thereof; FIG. 16 is a side view thereof, opposite that shown in FIG. 14; FIG. 17 is a rear view thereof; and, FIG. 18 is a side perspective environmental view of the moisture and density nuclear gauge calibration device shown with a nuclear gauge in broken line sitting thereon for calibration. The broken lines shown herein are for illustrative purposes only and form no part of the claimed design. The different shading on the three blocks shown in FIGS. 1-18 represent respective different visual appearances associated with different materials.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3






FIG. 4






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14







FIG. 15





UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D738,750 S
APPLICATION NO. : 29/488030
DATED : September 15, 2015
INVENTOR(S) : Regimand et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On Title Page:

Please add:

Related U.S. Application Data

(62) Division of application No. 29/438,573, filed on November 30, 2012.

Signed and Sealed this
Third Day of May, 2016



Michelle K. Lee
Director of the United States Patent and Trademark Office