



US00D738810S

(12) **United States Design Patent**  
**Boore et al.**

(10) **Patent No.:** **US D738,810 S**  
(45) **Date of Patent:** **\*\* Sep. 15, 2015**

- (54) **TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Robert Edgar Boore, Uniontown, OH (US); Max Harold Dixon, Kent, OH (US); Michel Pierre Charles Robert, Sibret (BE); Pierre Bernard Raoul Brochet, Itzig (LU)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/477,052**
- (22) Filed: **Dec. 19, 2013**
- (51) **LOC (10) Cl.** ..... **12-15**
- (52) **U.S. Cl.**  
USPC ..... **D12/567; D12/549**
- (58) **Field of Classification Search**  
USPC ..... **D12/533-567; 152/209.1, 209.8, 152/209.18, 209.25, 209.28**  
CPC .. **B60C 11/0302; B60C 11/03; B60C 11/042; B60C 11/12; B60C 2011/0374**  
See application file for complete search history.

D549,158 S	8/2007	Heinen et al. ....	D12/552
D559,769 S	1/2008	Heinen et al. ....	D12/551
D579,860 S	11/2008	Heinen et al. ....	D12/551
D589,431 S *	3/2009	Fontaine et al. ....	D12/547
D659,083 S	5/2012	Nguyen et al. ....	D12/587
D666,552 S	9/2012	Parr et al. ....	D12/551
D720,683 S *	1/2015	Boore et al. ....	D12/563
2013/0126061 A1 *	5/2013	Bestgen .....	152/209.18

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.


In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D342,047 S	12/1993	Takahashi .....	D12/146
D400,140 S	10/1998	Graas .....	D12/147
D454,832 S	3/2002	Heinen .....	D12/550
D462,647 S	9/2002	Heinen .....	D12/550
D471,148 S	3/2003	Heinen .....	D12/550
D492,642 S	7/2004	Heinen et al. ....	D12/551
D533,133 S	12/2006	Heinen et al. ....	D12/590
D542,217 S	5/2007	Heinen et al. ....	D12/555






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6