



US00D738815S

(12) **United States Design Patent**
Dixon et al.

(10) **Patent No.:** **US D738,815 S**
(45) **Date of Patent:** **** Sep. 15, 2015**

- (54) **TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Max Harold Dixon, Kent, OH (US); Ashley Amanda Strader, Akron, OH (US); Brandon Jeffrey Gramoll, Grafton, WI (US)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/475,912**
- (22) Filed: **Dec. 9, 2013**
- (51) **LOC (10) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/594; D12/600**
- (58) **Field of Classification Search**
USPC D12/568-603; 152/209.1-209.28
CPC B60C 11/11; B60C 11/1213; B60C 11/00;
B60C 11/04; B60C 11/1281; B60C
2011/0374; B60C 1/0016; B60C 11/12;
B60C 11/0306; B60C 11/0309; B60C 11/13;
B60C 11/042
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|-----------|-----------------------|---------|
| D387,715 S | 12/1997 | Miller et al. | D12/147 |
| D410,420 S | 6/1999 | de Barys | D12/147 |
| D423,419 S | 4/2000 | Kemp, Jr. et al. | D12/142 |
| D452,199 S | * 12/2001 | Robert et al. | D12/594 |
| D455,709 S | * 4/2002 | Dixon et al. | D12/588 |
| D456,769 S | * 5/2002 | Dixon et al. | D12/600 |
| D458,584 S | 6/2002 | Young et al. | D12/600 |
| D480,045 S | 9/2003 | Durand et al. | D12/601 |
| D497,875 S | 11/2004 | Le et al. | D12/594 |
| D500,288 S | 12/2004 | Maziarka et al. | D12/601 |
| D517,978 S | 3/2006 | Robert | D12/600 |
| D528,500 S | 9/2006 | Le et al. | D12/600 |

| | | | |
|------------|---------|----------------------------------|---------|
| D534,858 S | 1/2007 | Le et al. | D12/553 |
| D541,737 S | 5/2007 | Cazin-Bourguignon et al. | D12/600 |
| D554,055 S | 10/2007 | Beauguitte et al. | D12/600 |
| D569,334 S | 5/2008 | Mariarka et al. | D12/600 |
| D592,590 S | 5/2009 | Janesh et al. | D12/600 |
| D601,085 S | 9/2009 | Janesh et al. | D12/600 |
| D604,226 S | 11/2009 | Scheuren | D12/553 |
| D619,081 S | 7/2010 | Nicolas et al. | D12/571 |
| D640,185 S | 6/2011 | Scheuren et al. | D12/588 |
| D640,969 S | 7/2011 | Scheuren et al. | D12/588 |
| D645,806 S | 9/2011 | Dixon et al. | D12/579 |

(Continued)

Primary Examiner — George D Kirschbaum

Assistant Examiner — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D645,810 S 9/2011 Le et al. D12/600
D647,470 S * 10/2011 Bachtel et al. D12/600
D653,199 S 1/2012 Scheuren et al. D12/588
D660,223 S * 5/2012 Dixon et al. D12/600

D662,457 S * 6/2012 Krier et al. D12/588
D667,365 S 9/2012 Dixon et al. D12/594
D673,899 S * 1/2013 Uphouse et al. D12/600
D674,743 S * 1/2013 Uphouse et al. D12/600
D676,800 S * 2/2013 Buchinger-Barnstorf ... D12/580
D710,294 S * 8/2014 Dixon et al. D12/588

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6