



US00D738874S

(12) **United States Design Patent**
Petruzzo et al.

(10) **Patent No.:** **US D738,874 S**
(45) **Date of Patent:** **** Sep. 15, 2015**

- (54) **STORAGE DRIVE CHASSIS**
- (71) Applicant: **GreenTec-USA, Inc.**, Reston, VA (US)
- (72) Inventors: **Stephen E. Petruzzo**, Great Falls, VA (US); **David Hatchett**, Shenandoah Junction, WV (US)
- (73) Assignee: **GreenTec-USA, Inc.**, Reston, VA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/447,154**
- (22) Filed: **Feb. 28, 2013**
- (51) **LOC (10) Cl.** **14-02**
- (52) **U.S. Cl.**
USPC **D14/312**
- (58) **Field of Classification Search**
USPC D14/240, 300, 308, 313, 348-356,
D14/364-368; D13/162, 184, 199;
312/223.1-223.3, 351.11;
360/99.01-99.12; 369/34.01-36.01;
361/679.31-679.33, 679.37, 679.39,
361/679.46, 679.51, 679.53, 679.4, 679.41,
361/727; D23/314, 328
CPC G06F 1/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,546	S *	4/1991	Pedinielli et al.	D14/242
5,027,254	A	6/1991	Corfits et al.	
5,868,261	A *	2/1999	Collins et al.	211/26
5,909,357	A	6/1999	Orr	
6,373,695	B1 *	4/2002	Cheng	361/679.39
D483,033	S *	12/2003	McClelland et al.	D14/368
D517,548	S *	3/2006	Wedding	D14/368
D532,418	S *	11/2006	Crisp	D14/313
7,652,879	B2 *	1/2010	Hartman et al.	361/679.39
8,047,383	B2 *	11/2011	Hendrix et al.	211/26
8,240,485	B2 *	8/2012	Bushby et al.	211/26

8,737,067	B1	5/2014	Kim et al.	
2003/0016504	A1 *	1/2003	Raynham	361/727
2003/0030975	A1	2/2003	Bestwick et al.	
2003/0223193	A1	12/2003	Smith et al.	
2007/0258211	A1	11/2007	Sonobe et al.	
2009/0152216	A1 *	6/2009	Champion et al.	211/26

FOREIGN PATENT DOCUMENTS

JP	2006164040	A	6/2006
JP	2009032068	A	2/2009

OTHER PUBLICATIONS

Espacenet, English Abstract of JP 2006164040, Oct. 12, 2011.
Espacenet, English Abstract of JP 2009032068, Oct. 12, 2011.

(Continued)

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP


(57) **CLAIM**

We claim the ornamental design for a storage drive chassis, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a storage drive chassis showing our new design, the bottom plan view is flat and devoid of surface ornamentation;
 FIG. 2 is a front view thereof wherein storage drives are shown;
 FIG. 3 is a rear view thereof;
 FIG. 4 is an enlarged fragmentary portion of the rear view thereof;
 FIG. 5 is a front view thereof without the storage drives;
 FIG. 6 is a rear view thereof without storage drives and power supplies;
 FIG. 7 is a right side view thereof; and,
 FIG. 8 is a left side view thereof.
 Broken lines shown in the drawings illustrate portions of the storage drive chassis and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Sun Microsystems, "Sun Blade 8000 and 8000 P Modular Systems, Modular Architecture for Business and Mission Critical Applications and High Performance Computing", Feb. 2008.

Wikipedia, "Blade Server", May 18, 2009.

ZDNet.co.uk, "Blades and Business", Jun. 4, 2007, <http://reviews.zdnet.co.uk/hardware/servers/0.1000001735,39287354,00.htm>.

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8