



US00D739072S

(12) **United States Design Patent**  
**Adams et al.**

(10) **Patent No.:** **US D739,072 S**

(45) **Date of Patent:** **\*\* Sep. 15, 2015**

(54) **LIGHT FIXTURE**

(71) Applicants: **Stephen P. Adams**, Mesa, AZ (US);  
**Johnathan J. Heiner**, Mesa, AZ (US)

(72) Inventors: **Stephen P. Adams**, Mesa, AZ (US);  
**Johnathan J. Heiner**, Mesa, AZ (US)

(73) Assignee: **JST Performance, LLC**, Gilbert, AZ  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/499,119**

(22) Filed: **Aug. 12, 2014**

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/118**

(58) **Field of Classification Search**  
USPC ..... D26/24, 26, 28, 29, 34, 37, 38, 43, 44,  
D26/51, 59, 60, 61, 63, 66, 67, 68, 72, 74,  
D26/76, 85, 86, 88, 89, 91, 113, 118, 119,  
D26/120, 122-124, 138, 140-146;  
362/145-148, 150, 153, 153.1, 218,  
362/249.01-249.05, 294, 296.01, 296.07,  
362/296.08, 311.07, 311.09, 311.1, 345,  
362/362, 364, 365, 366, 368, 370, 371, 373,  
362/397, 418, 427, 428, 460, 473-476,  
362/546-548  
CPC ..... F21V 21/14; F21V 21/30  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,972,301	A	*	11/1990	Kasboske	.....	362/362
D574,978	S	*	8/2008	Hyodo et al.	.....	D26/28
D641,908	S	*	7/2011	McKee	.....	D26/71
D693,509	S	*	11/2013	Hosick et al.	.....	D26/63
D697,241	S	*	1/2014	Chen	.....	D26/28

D703,861	S	*	4/2014	Holland et al.	.....	D26/89
D704,363	S	*	5/2014	Adams	.....	D26/28
D704,365	S	*	5/2014	Adams	.....	D26/28
D708,778	S	*	7/2014	Sibitzky et al.	.....	D26/118
D716,477	S	*	10/2014	Chu	.....	D26/28
D718,478	S	*	11/2014	Adams	.....	D26/28
2010/0014289	A1	*	1/2010	Thomas et al.	.....	362/294
2013/0265755	A1	*	10/2013	Adams	.....	362/235
2014/0126214	A1	*	5/2014	Gebhard et al.	.....	362/294
2014/0146544	A1	*	5/2014	Gebhard et al.	.....	362/311.02

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez

*Assistant Examiner* — Llorelys Martinez-Rivera

(57) **CLAIM**


The ornamental design for a light fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right, top perspective view of a light fixture showing our new design;  
FIG. 2 is a front and left side top perspective view thereof;  
FIG. 3 is a front and right side bottom perspective view thereof;  
FIG. 4 is a front and left side bottom perspective view thereof;  
FIG. 5 is a back and right side top perspective view thereof;  
FIG. 6 is a back and left side top perspective view thereof;  
FIG. 7 is a back and left side bottom perspective view thereof;  
FIG. 8 is a back and right side bottom perspective view thereof;  
FIG. 9 is a front side view thereof;  
FIG. 10 is a back side view thereof;  
FIG. 11 is a left side view thereof;  
FIG. 12 is a right side view thereof;  
FIG. 13 is a top view thereof; and,  
FIG. 14 is a bottom view thereof.

The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14