



US00D739379S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D739,379 S**
(45) **Date of Patent:** **** Sep. 22, 2015**

(54) **HEADSET**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Ki-Eon Lee**, Seoul (KR); **Jin-Man Chung**, Goyang-si (KR); **Alex Millie**, San Francisco, CA (US); **Howard Nuk**, San Francisco, CA (US); **Richard Overcash**, San Francisco, CA (US); **Seung-Min Park**, Seoul (KR); **Ha-Youl Jung**, Seoul (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.** (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/500,127**

(22) Filed: **Aug. 21, 2014**

(30) **Foreign Application Priority Data**

Feb. 21, 2014 (KR) 30-2014-0008958

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205**

(58) **Field of Classification Search**
USPC D14/205, 206, 223, 192; D11/1, 3, 4, D11/27; D29/112; 2/209; D24/106; 128/864; D28/41; 132/273, 200; 24/616; 181/129, 130, 135; 379/430, 379/431; 381/380, 381, 183; 455/90.3, 575, 455/1
CPC H04R 1/1066
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

486,725 A * 11/1892 Mellor 181/129
4,110,583 A * 8/1978 Lepper 381/382
4,821,318 A * 4/1989 Wu 379/430

5,669,398 A * 9/1997 Dadgostar 132/210
6,010,216 A * 1/2000 Jesiek 351/158
6,047,708 A * 4/2000 Panel et al. 132/273
6,233,345 B1 * 5/2001 Urwyler 381/381
D457,515 S * 5/2002 Masamitsu et al. D14/223
D458,245 S * 6/2002 Masuda D14/205
6,603,863 B1 * 8/2003 Nagayoshi 381/380
6,740,896 B2 * 5/2004 Nagamura 250/559.45
D497,565 S * 10/2004 Pink D11/4
D512,981 S * 12/2005 Jacobson et al. D14/205
D557,685 S * 12/2007 Lee D14/205
D575,268 S * 8/2008 Christopher et al. D14/205
D593,067 S * 5/2009 Millora et al. D14/205
D653,234 S * 1/2012 Lee et al. D14/205
D663,714 S * 7/2012 Kang et al. D14/205
D669,881 S * 10/2012 Clements et al. D14/205

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP



(57) **CLAIM**

The ornamental design for a headset, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headset, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is a another side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is an enlarged view of the encircled portion shown in FIG. 7; and,
FIG. 9 is a perspective view thereof as shown in another configuration.
The broken lines are for environmental purpose only and form no part of the claimed design.
The dot-dash broken lines encircling the portion of the claimed design that is illustrated in an enlargement form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,433,082 B2 * 4/2013 Abolfathi 381/151
D683,715 S * 6/2013 Triato et al. D14/204
D716,759 S * 11/2014 Ha et al. D14/205

D721,673 S * 1/2015 Park et al. D14/205
2011/0170702 A1 * 7/2011 Bays 381/74
2013/0329903 A1 * 12/2013 Ting 381/74
2014/0185837 A1 * 7/2014 Kunimoto et al. 381/151

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

