



US00D739444S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D739,444 S**

(45) **Date of Patent:** **** Sep. 22, 2015**

(54) **UNDERCARRIAGE TRACK IDLER FOR MOBILE EARTHMOVING MACHINE**

2,549,930 A 4/1951 Riegel et al.
2,652,285 A 9/1953 Negri
2,664,317 A 12/1953 Glynn et al.
2,874,005 A 2/1959 Engstrom
D186,214 S 9/1959 Francis

(71) Applicant: **Caterpillar Inc.**, Peoria, IL (US)

(Continued)

(72) Inventors: **Robert L. Meyer**, Metamora, IL (US);
Gregory J. Kaufmann, Metamora, IL (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Caterpillar Inc.**, Peoria, IL (US)

AU 95684 3/1987
AU 105902 11/1989

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/492,678**

OTHER PUBLICATIONS

(22) Filed: **Jun. 2, 2014**

Caterpillar Inc., "Cat® Enhanced Sealed and Lubricated Track (SALT) Undercarriage," © 2011.

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 29/426,074, filed on Jun. 29, 2012, now Pat. No. Des. 709,527.

Primary Examiner — Mark Goodwin

(51) **LOC (10) Cl.** **15-03**

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw Group, LLC

(52) **U.S. Cl.**
USPC **D15/28**

(57) **CLAIM**

(58) **Field of Classification Search**
USPC D15/28; D12/210, 212; 152/453, 523, 152/28.1, 29 B, 29 R, 29 NT, 29 WT, 29 D; 305/136; 301/37 R, 37 P, 37 TC, 65
CPC B65D 55/14; B65D 55/32; B65D 55/20; B65D 55/145; B23P 11/00; B21D 53/26; B60B 3/08; Y10T 29/49481; Y10S 474/90
See application file for complete search history.

The ornamental design for an undercarriage track idler for mobile earthmoving machine, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS


640 A * 3/1838 Truscott et al. 295/28
306,070 A * 10/1884 Ferguson 295/29
D53,639 S 7/1919 Moore
1,952,545 A 3/1934 Gotshall
D107,515 S 12/1937 Grange et al.
2,463,226 A 3/1949 Walden

FIG. 1 is a perspective view of an undercarriage track idler for mobile earthmoving machine showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a right side view thereof, the top and bottom views being identical; FIG. 4 is a left side view thereof; and, FIG. 5 is a rear view thereof.

The broken lines illustrate environmental structure and form no part of the claimed design.

The relatively light shade lines on the surface portions indicate contour and not surface decoration.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2,911,252 A 11/1959 Templeton
 3,035,872 A 5/1962 Rich
 3,089,021 A 5/1963 Hawes et al.
 3,127,211 A * 3/1964 Kordes et al. 295/11
 3,372,959 A 3/1968 Watts, Jr.
 D224,705 S 9/1972 Mattson
 3,689,122 A * 9/1972 Mazzarins 305/136
 3,771,843 A 11/1973 Clasper
 3,947,074 A 3/1976 Nelson
 3,955,855 A 5/1976 Massieon et al.
 4,003,608 A 1/1977 Carter
 4,112,851 A 9/1978 Rousseau et al.
 4,176,887 A 12/1979 Alpers et al.
 4,241,956 A 12/1980 Meisel, Jr.
 4,257,653 A 3/1981 Meisel, Jr. et al.
 4,371,362 A 2/1983 Dorris
 4,440,095 A 4/1984 Mathieu
 4,444,441 A 4/1984 Parker
 4,459,124 A 7/1984 Newton
 4,514,014 A 4/1985 Balzer et al.
 4,685,184 A 8/1987 Satkamp
 4,763,961 A 8/1988 Parrott
 D298,540 S 11/1988 Grawey et al.
 D298,632 S 11/1988 Grawey et al.
 4,825,777 A 5/1989 Cummins
 4,890,892 A 1/1990 Haslett
 5,005,922 A 4/1991 Edwards et al.
 D338,020 S 8/1993 Taft
 D340,890 S 11/1993 Martin et al.
 5,288,143 A 2/1994 Dester et al.
 5,482,364 A 1/1996 Edwards et al.
 5,509,359 A 4/1996 Houston
 D382,570 S 8/1997 Bruns
 5,692,985 A 12/1997 Hirata et al.
 5,725,292 A 3/1998 Keedy et al.
 5,803,558 A 9/1998 Ketting et al.
 5,829,849 A 11/1998 Lawson
 5,887,958 A 3/1999 Bissi et al.
 5,899,825 A * 5/1999 Hamphoff et al. 474/150
 5,913,374 A 6/1999 Becker et al.
 5,927,665 A 7/1999 Grabnic
 6,012,784 A 1/2000 Oertley
 6,017,103 A 1/2000 Villard
 6,047,969 A 4/2000 Hoefft et al.
 6,120,405 A 9/2000 Oertley et al.
 6,186,671 B1 2/2001 Rucks et al.
 6,220,378 B1 4/2001 Oertley et al.
 6,237,877 B1 5/2001 Wallace et al.
 6,250,459 B1 6/2001 Coen et al.
 6,250,726 B1 6/2001 Burdick et al.
 RE37,254 E 7/2001 Ketting et al.
 6,364,438 B1 4/2002 Hasselbusch et al.
 6,416,142 B1 7/2002 Oertley
 6,431,665 B1 8/2002 Banerjee et al.
 6,454,366 B1 9/2002 Egle
 6,474,754 B1 11/2002 Hasselbusch
 6,527,347 B2 3/2003 Brawley et al.
 6,536,851 B2 3/2003 Grob et al.
 6,631,961 B1 10/2003 Bedford et al.
 6,669,312 B2 12/2003 Smith et al.
 6,733,093 B2 5/2004 Deland et al.
 6,739,678 B2 5/2004 Moebs et al.
 6,851,768 B2 2/2005 Takeno et al.
 6,874,859 B1 4/2005 Duse
 D510,742 S 10/2005 Stover
 7,040,080 B2 5/2006 Okawa et al.
 7,100,353 B1 9/2006 Maguire
 7,237,631 B2 7/2007 Livesay et al.
 D549,244 S 8/2007 Noel
 7,252,348 B2 8/2007 Gingras
 D598,937 S 8/2009 Lyasko
 D599,381 S 9/2009 Chiang
 D603,880 S 11/2009 Brazier
 7,614,709 B2 11/2009 Oertley
 7,644,999 B2 1/2010 Bradberry et al.

7,661,774 B2 2/2010 Yamamoto et al.
 7,721,864 B2 5/2010 Bluhm
 7,806,209 B2 10/2010 Standish et al.
 7,832,815 B2 11/2010 VanderVeen
 7,896,766 B2 3/2011 Mitzschke et al.
 7,905,559 B2 3/2011 Angot et al.
 7,914,086 B2 3/2011 Mulligan
 8,075,069 B2 12/2011 Pech et al.
 D660,877 S 5/2012 Caron et al.
 8,172,342 B2 5/2012 Diekevers et al.
 8,360,535 B2 * 1/2013 Johannsen et al. 305/137
 D709,527 S 7/2014 Meyer et al.
 8,770,676 B2 * 7/2014 Yelistratov 305/137
 8,770,677 B2 * 7/2014 Yelistratov 305/137
 2002/0113489 A1 8/2002 Oertley
 2003/0090151 A1 5/2003 Takeno et al.
 2005/0104448 A1 5/2005 Hori et al.
 2008/0164756 A1 7/2008 Yamamoto et al.
 2008/0217994 A1 9/2008 McRae et al.
 2009/0026836 A1 1/2009 Maeda
 2009/0102281 A1 4/2009 Diekevers et al.
 2009/0121542 A1 5/2009 Hunold et al.
 2009/0267408 A1 10/2009 Chiang
 2010/0102623 A1 4/2010 Mulligan
 2010/0133898 A1 6/2010 Johannsen et al.
 2010/0141005 A1 6/2010 Mackert
 2010/0141027 A1 6/2010 Fischer et al.
 2010/0156169 A1 6/2010 Angot et al.
 2012/0146398 A1 6/2012 Nebergall et al.
 2012/0146399 A1 6/2012 Nebergall et al.
 2012/0153714 A1 6/2012 Yelistratov
 2012/0193980 A1 8/2012 Diekevers et al.
 2012/0228926 A1 9/2012 Bair
 2014/0001827 A1 1/2014 Kaufmann et al.

FOREIGN PATENT DOCUMENTS

AU 106480 1/1990
 AU 107028 3/1990
 AU 109960 1/1991
 AU 121710 10/1994
 AU 137779 7/1999
 AU 139354 12/1999
 AU 140881 6/2000
 AU 143748 5/2001
 AU 149531 10/2002
 AU 304403 11/2005
 AU 307970 7/2006
 AU 310269 9/2006
 AU 321833 10/2008
 AU 324833 2/2009
 AU 335858 4/2011
 AU 338612 9/2011
 AU 340737 2/2012
 CL 265-1928 5/1928
 CL 628-1928 10/1928
 CL 145-1939 7/1939
 CL 75-1943 3/1943
 CL 774-1989 11/1989
 CL 773-1989 3/1990
 CL 92-1990 5/1990
 CL 564-1991 7/1991
 CL 2196-1997 12/1998
 CL 1488-2002 9/2002
 CL 2980-2001 8/2003
 CL 331-2009 5/2009
 CL 332-2009 5/2009
 CL 335-2009 5/2009
 CL 336-2009 5/2009
 CL 7-2010 9/2010
 CL 2110-2011 12/2011
 CL 3070-2011 6/2012
 EM 000302823-0001 2/2005
 EM 000450028-0003 12/2005
 EM 000450028-0006 12/2005
 EM 000472956-0001 1/2006
 EM 000528807-0001 5/2006
 EM 000528807-0002 5/2006
 EM 000528807-0003 5/2006

(56)

References Cited

FOREIGN PATENT DOCUMENTS

EM	000644976-0001	12/2006
GB	1051849	12/1987
GB	2008967	3/1990
GB	2067983	7/1997
GB	2080040	12/1998
GB	2087930	11/1999
GB	2092436	4/2000
GB	2098189	6/2000
GB	2105696	4/2001
GB	2105775	5/2001
GB	3019881	12/2004
GB	3022180	8/2005
GB	3022182	8/2005
GB	4014572	2/2010
GB	4017607	11/2010
GB	4025167	6/2012
WO	2005123490 A1	12/2005

OTHER PUBLICATIONS

Caterpillar Inc., "Cat® Undercarriage Assurance Programs," © 2010.
 Caterpillar Inc., "Cat® Undercarriage," © 2011.
 Caterpillar Inc., "Cat® SystemOne' Undercarriage for Cat®
 Machines," © 2009.
 Caterpillar Inc., "Undercarriage System and Components," © 2007.
 U.S. Appl. No. 29/426,112 of Robert L. Meyer et al., titled "Under-
 carriage Track Component for Mobile Earthmoving Machine," filed
 Jun. 29, 2012.
 U.S. Appl. No. 61/666,581 of Robert L. Meyer et al., titled "Dual
 Disk Idler for a Machine Undercarriage," filed Jun. 29, 2012.
 U.S. Appl. No. 61/666,538 of David J. Hakes, titled "Track Idler,"
 filed Jun. 29, 2012.
 U.S. Appl. No. 61/666,575 of Robert L. Meyer et al., titled "Idler for
 a Machine Undercarriage," filed Jun. 29, 2012.
 U.S. Appl. No. 29/426,074 of Robert L. Meyer et al., titled "Under-
 carriage Track Idler for Mobile Earthmoving Machine," filed Jun. 29,
 2012, amended Mar. 13, 2014.

* cited by examiner




Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 5