



US00D739535S

(12) **United States Design Patent**
Stöder et al.

(10) **Patent No.:** **US D739,535 S**
(45) **Date of Patent:** **** Sep. 22, 2015**

(54) **COMBINED OPHTHALMIC INSTRUMENT
AND OPHTHALMIC INSTRUMENT STAND**

(71) Applicant: **Carl Zeiss Meditec AG**, Jena (DE)

(72) Inventors: **Kai Jens Stöder**, Plüderhausen (DE);
Markus Mottscheller, Nürnberg (DE);
Alexandre Avranches, Erlangen (DE);
Dominik Meier, München (DE)

(73) Assignee: **Carl Zeiss Meditec AG**, Jena (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/509,211**

(22) Filed: **Nov. 14, 2014**

(30) **Foreign Application Priority Data**

May 14, 2014 (DE) 40 2014 201 482

(51) **LOC (10) Cl.** **24-00**

(52) **U.S. Cl.**
USPC **D24/172**

(58) **Field of Classification Search**
USPC D24/172, 137, 185, 150, 177, 107;
351/245, 200, 221; 128/200.14;
604/294; 600/200; 239/102.1
CPC A61B 3/18; A61B 3/1225; A61B 3/103;
A61B 1/227; A61M 15/009; A61F 9/0008;
B05B 17/0607
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,314,426 A * 4/1967 Carroll 128/200.14
5,201,726 A * 4/1993 Kirkham 604/294
5,588,564 A * 12/1996 Hutson et al. 222/383.1
D378,315 S * 3/1997 Schwaegerle et al. D24/172
5,696,574 A * 12/1997 Schwaegerle 351/245
5,907,387 A * 5/1999 Schwaegerle 351/200
D425,980 S * 5/2000 Last et al. D24/107

6,095,649 A * 8/2000 Brooks et al. 351/221
6,569,131 B1 * 5/2003 Michael et al. 604/295
D503,233 S * 3/2005 Smith D24/172
D514,701 S * 2/2006 Smith D24/172
D552,736 S * 10/2007 Yamaoka D24/172
D566,838 S * 4/2008 Slawson et al. D24/137
D574,083 S * 7/2008 Tassakos et al. D24/172
7,401,921 B2 * 7/2008 Baker et al. 351/245
7,467,871 B2 * 12/2008 Lawhorn et al. 351/245
D597,206 S * 7/2009 Collins et al. D24/150
D613,402 S * 4/2010 Roberts et al. D24/137
D621,050 S * 8/2010 Jamison et al. D24/177

(Continued)

Primary Examiner — Holly Baynham

Assistant Examiner — Rhea Shields

(74) *Attorney, Agent, or Firm* — Patterson Thuent Pedersen, P.A.

(57) **CLAIM**

We claim the ornamental design for combined ophthalmic instrument and ophthalmic instrument stand, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an combined ophthalmic instrument and ophthalmic instrument stand according to an embodiment of the invention.

FIG. 2 is another perspective view of the combined ophthalmic instrument and ophthalmic instrument stand depicted in FIG. 1.


FIG. 3 is a perspective view of the combined ophthalmic instrument and ophthalmic instrument stand according to another embodiment of the invention.

FIG. 4 is a perspective view of the combined ophthalmic instrument and ophthalmic instrument stand according to another embodiment of the invention

FIG. 5 is a perspective view of the combined ophthalmic instrument and ophthalmic instrument stand according to another embodiment of the invention; and,

FIG. 6 is a perspective view of the combined ophthalmic instrument and ophthalmic instrument stand according to another embodiment of the invention.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D704,842 S *	5/2014	Wood et al.	D24/172
2005/0027168 A1 *	2/2005	Strom et al.	600/200
2007/0119968 A1 *	5/2007	Collins et al.	239/102.1
D635,257 S *	3/2011	Ellman	D24/137

* cited by examiner



Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6